

TEMPORARY

NO. 65885-T

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office JAN 20 2000

Returned to applicant for correction _____

Corrected application filed _____

Map filed FEB 01 2000

The applicant **Getchell Gold Corporation**, hereby makes application for permission to change the **Point of diversion, manner and place of use of a portion of water heretofore appropriated under Permit 52476 (Certificate No. 13817) (Center Pit #2 Well)**

1. The source of water is **underground**
2. The amount of water to be changed **0.562 CFS: 0.05 MGA**
3. The water to be used for **mining, milling and dewatering**
4. The water heretofore permitted for **dewatering**
5. The water is to be diverted at the following point within **SE¼ SW¼ section 33, T39N, R42E, MDM at a point from which the SW corner of said section 33 bears S 70° 36' 11" W, 2229.19 feet distant, from a pumping station known as the Getchell Main Pit Pumping Station.**
6. The existing permitted point of diversion is located within **SW¼ NW¼ section 33, T39N, R42E, M.D.B.&M., or at a point from which the N¼ corner of said Section 33, T30N, R41E, MDM bears N 48° 58' 15" E., a distance of 2827.0 feet situated in Humboldt County, State of Nevada.**
7. Proposed place of use within **sections 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 25, 26, 27, 28, 29, 32, 33, 34, 35, and 36 in T39N, R42E, MDM; and sections 1, 2, 3, 4, 9, 10, 11, 12, 13, 14, 15, and 22 in T38N, R42E, MDM**
8. Existing place of use within **sections 33 and 35 T39N, R42E, M.D.B. &M. and sections 1, 3 and 5 T38N, R42E, MDM.**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **The Getchell Main Pit Pump Station is an existing pumping station housed in a metal building, located in the bottom of the Getchell Main Pit, consisting of two sets of dual stage Warman centrifugal pumps. Flow measuring devices are located on the discharge lines. The intakes for these pumps pull water from a concrete sump and settling basin that gathers mine drainage and runoff water from within the Getchell Main Pit and the Getchell Main Underground Mine. The pumps deliver water to a valve manifold which can be adjusted to direct the water into three 12-inch HDPE discharge pipes. These pipes carry the pumped water up and out of the pit to a saddle on the south side of the pit, for further distribution and use, or infiltration. To accompany Getchell Gold Corporation's TEMPORARY APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED for the following parent application numbers: 52476, 58406, 61601, 61602, 61603, 61604, 61605, 62686, 62688, and 62689.**

65885-T

12. Estimated cost of works \$0; the works are existing

13. Estimated time required to construct works 0 years; the works are existing

14. Estimated time required to complete the application of water to beneficial use 5 years

15. Remarks: This water is to be pumped from the Getchell Main Pit Pumping Station. The pumpage will serve to dewater the Getchell Mine underground workings. The water will be used for miscellaneous mining purposes including mining, milling, dust control, and drilling. Unused water will be treated and reinfiltated to the ground water basin.

s/Michael S. Smith
By MICHAEL S. SMITH, AGENT
SAGE ENGINEERING
885 Lyman Ave., Reno, NV 89509

Compared my/cmf

Protested _____

WITHDRAWN BY ^{agent} APPLICANT AUG 04 2000 *kg*

J. J. Ricci, P.E. STATE ENGINEER