

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office FEB 11 2000

Returned to applicant for correction

Corrected application filed

Map filed FEB 11 2000 under 66066

The applicant James M. Griffin, hereby makes application for permission to change the Point of Diversion, Manner of Use and Place of Use for a portion of water heretofore appropriated under Permit #45660, Certificate #12786

1. The source of water is an underground source in Nye County, Nv
2. The amount of water to be changed 0.0127 CFS, not to exceed 3.36 AFA.
3. The water to be used for Irrigation and Domestic purposes
4. The water heretofore permitted for Irrigation
5. The water is to be diverted at the following point within the SE.¼ SE.¼ of Section 20, T.19S., R.53E., M.D.M., or at a point from which the South ¼ corner of said Section 20 bears S. 63° 25' 30" W.; a distance of 1515 feet
6. The existing permitted point of diversion is located within the SE.¼ NE.¼ of Section 12, T.21S., R.53E., M.D.B.&M., or at a point from which the East ¼ corner of said section 12 bears S. 62° 04' 55" E., a distance of 2073.12 feet
7. Proposed place of use 10 acres within the NW.¼ SE.¼ of Section 20, T.19S., R.53E., M.D.M., APN. 27-321-29 *(see explanation in item 15)
8. Existing place of use 0.672 acres within the S.½ NW.¼ SW.¼ NE.¼ of Section 12, T.21S., R.53E., M.D.M.
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works An 8" dia. X 200' deep driven well. cased all the way, with a 1½ hp. submersible pump, pipe and wire
12. Estimated cost of works \$7000
13. Estimated time required to construct works 1 year, presently completed as in item 11
14. Estimated time required to complete the application of water to beneficial use 3 years
15. Remarks: I am requesting that this water be permitted over the approximate 10 acres of APN. 27-321-29, because we are planning for domestic use with landscaping, along with as much pasture as can be supported with the permitted AFA.. Each of these items require a lower duty of water than the base permit.

By James M. Griffin
s/James M. Griffin
PO. BOX 6187,
Pahrump, Nv, 89041

Compared my/ gkl ds/cmf

Protested

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 45660, Certificate 12786 is issued subject to the terms and conditions imposed in said Permit 45660, Certificate 12786 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 66066 and 66067 shall not exceed 5.185 acre-feet annually.

Permit 66067 is issued for irrigation of 0.672 acres within the 10 acres described in the application.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0127 cubic feet per second, but not to exceed 3.36 acre-feet annually, and not to exceed a yearly duty of 5.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

April 9, 2002

Proof of completion of work shall be filed before:

May 9, 2002

Water must be placed to beneficial use on or before:

April 9, 2003

Proof of the application of water to beneficial use shall be filed on or before:

May 9, 2003


Map in support of proof of beneficial use shall be filed on or before:

May 9, 2003


IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 9th day of, April A.D. 2001



State Engineer



Completion of work filed MAY 28 2002

Proof of beneficial use filed SEP 12 2002

Cultural map filed FEB 11 2000

Certificate No. 16171 Issued MAY 15 2003

