



THE STATE OF NEVADA

**APPLICATION TO CHANGE THE PUBLIC WATERS OF
THE STATE OF NEVADA HERETOFORE
APPROPRIATED**

Name of Permittee: **INCLINE VILLAGE G.I.D.**
Source: **STREAM (INCLINE CREEK)**
Basin: **LAKE TAHOE BASIN**
Manner of Use: **ENVIRONMENTAL**
Period of Use: **JANUARY 1ST THROUGH DECEMBER 31ST**
Priority Date: **12/04/1948**

DENIAL OF STATE ENGINEER

This application is hereby denied on the grounds that the Applicant did not submit the information requested by the State Engineer's Office, and that without this information, granting of the application would threaten to prove detrimental to the public interest.

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 22 day of April, 2015

K. P. Bell P.E.

for State Engineer

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office FEB 25 2000

Returned to applicant for correction _____

Corrected application filed _____

Map filed JUN 14 1999 under 65135

The applicant **Incline Village General Improvement District (IVGID)**, hereby make application for permission to change the **Point of diversion, manner of use and place of use of a portion of water heretofore appropriated under Permit #58396**

1. The source of water is **Incline Creek**
2. The amount of water to be changed **0.0111 cfs**
3. The water to be used for **Stream Environment Zone (SEZ) Restoration**
4. The water heretofore permitted for **municipal**
5. The water is to be diverted at the following point **SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 15, T16N, R18E, MDM or at a point from which SE corner of said Section 15 bears S 31 44' E, at a distance of 917 feet.**
6. The existing permitted point of diversion is located within (lot 1) **NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 16, T16N, R18E, MDM, at a point from which the W $\frac{1}{4}$ corner of said Section 16 bears N 22 50' 57" W, a distance of 2,487.93 feet.**
7. Proposed place of use **2.1 acres of stream environment zone located on APN 127-010-07, 127-030-02 and 127-030-26 located within the S $\frac{1}{2}$ SE $\frac{1}{4}$ Section 15 and within the W $\frac{1}{2}$ NE $\frac{1}{4}$ Section 22, T16N, R18E, MDM**
8. Existing place of use within **Sections 1,2,3,9,10,11,13,14,15,16,17,21,22 and 23, W $\frac{1}{2}$, W $\frac{1}{2}$ NE $\frac{1}{4}$ and S $\frac{1}{2}$ SE $\frac{1}{4}$ Section 24, S $\frac{1}{2}$ Section 8, W $\frac{1}{2}$ and W $\frac{1}{2}$ E $\frac{1}{2}$ Section 12, E $\frac{1}{2}$ Section 18, SW $\frac{1}{4}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, Section 19, portions of the W $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$ and NW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 30, all lying within Washoe County, NV, T16N, R18E, MDM**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **Install 20' of 8" perforated C900 pipe one foot inland from the edge of stream bank with the pipe invert level with the stream bed.**
12. Estimated cost of works **\$87,000**
13. Estimated time required to construct works **5 months**
14. Estimated time required to complete the application of water to beneficial use **one year**

66101

15. Remarks: Water used to rewet 2.1 acres of relic SEZ within restoration project. Five gpm diverted year-round but only 2 acre-feet consumptively used by evapotranspiration during 153 day growing season (May-Sept.). Technical review of consumptive use by DRI, NRCS and Watershed Restoration Associates: Julie Etra, Botanist, and Toby Hanes, Hydrologist. Remaining 6 acre-feet returned to Lake Tahoe for use by municipal system. IVGID will withdraw permit #65135 when this permit is issued.

By s/Chris Twomey Chris Twomey, P.E.
893 Southwood Blvd.
Incline Village, NV 89451

Compared kdg/gk1

Protested _____
