

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0009 cubic feet per second, or sufficient to water 10 elk, 10 horses, and 50 deer.

Work must be prosecuted with reasonable diligence and be completed on or before:

January 24, 2004

Proof of completion of work shall be filed before:

February 24, 2004

Water must be placed to beneficial use on or before:

January 24, 2006

Proof of the application of water to beneficial use shall be filed on or before:

February 24, 2006


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set  
my hand and the seal of my office,

this 24th day of, January A.D. 2001

  
\_\_\_\_\_  
State Engineer

Completion of work filed MAR 02 2004

Proof of beneficial use filed DEC 22 2004

Cultural map filed N/A

Certificate No. 16485 Issued 3-10-05



**NO. 66107**

**APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office FEB 28 2000

Returned to applicant for correction MAR 10 2000

Corrected application filed \_\_\_\_\_

Map filed APR 25 2000

\*\*\*\*\*

The applicant **United States Dept. of the Interior Bureau of Land Management** hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

\*\*\*\*\*

1. The source of the proposed appropriation is **Underground**
2. The amount of water applied for is **.0009 cfs** second-feet
  - (a) If stored in reservoir give number of acre-feet
3. The water to be used for **Watering Wildlife and Wild horses**
4. If use is for:
  - (a) Irrigation, state number of acres to be irrigated
  - (b) Stockwater, state number and kinds of animals to be watered
  - (c) Other use (describe fully under No. 12. "Remarks") **See No. 12 remarks**
  - (d) Power:
    - (1) Horsepower developed
    - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point in **NE $\frac{1}{4}$  SW $\frac{1}{4}$  Section 9, T.23N., R.62E. or at a point from which the Southeast corner of Section 16, T.23N., R.62E. MDM bears S. 21° 26' 45" E. a distance of 8,013.04 feet.**
6. Place of Use **T.23N. R.62E. Section 9, NE $\frac{1}{4}$  SW $\frac{1}{4}$  MDM**
7. Use will begin about **Jan. 1st** and end about **Dec. 31** of each year.
8. Description of proposed works **existing well, pump, pipelines, troughs**
9. Estimated cost of works **5,000 dollars**
10. Estimated time required to construct works **3 years.**
11. Estimated time required to complete the application of water to beneficial use **5 years**

12. Remarks

**4c—10 elk; 10 horses; 50 deer**

**Gary Medlyn  
By s/ Gary Medlyn  
HC 33 Box 33500  
Ely, NV 89301**

Compared gkl/bk hf/cm

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the period of use and the average number of livestock served from the waters of this source. It is further understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to any other ground water development in the area. The well shall be equipped with a 2-inch opening for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times but does not take responsibility for the use of the Federal range.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(CONTINUED ON PAGE 3)