

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office MAY 11 2000

Returned to applicant for correction _____

Corrected application filed _____

Map filed AUG 20 1993 under 59133

The applicant **Continental Ranch of Hazen**, hereby makes application for permission to change the **Point of Diversion** of water heretofore appropriated under **63024**

1. The source of water is **Underground**
2. The amount of water to be changed **0.50 cfs, not to exceed 100 ac. ft.**
3. The water to be used for **Industrial & Domestic**
4. The water heretofore permitted for **Industrial & Domestic**
5. The water is to be diverted at the following point **SE¼ SW¼ Sec. 1, T.19N., R.26E., M.D.B.&M. or at the point from which the SW corner of said Section 1 bears S. 58° 58' 40" W, a distance of 2014.00 feet. (Permit 59136)**
6. The existing permitted point of diversion is located within **NE¼ NE¼ Section 3, T.19N., R.26E. M.D.B.&M. or at a point from which the NE corner of said Section 3 bears N. 62° 23' 38" E., 59.0 feet.**
7. Proposed place of use **Section 3, T.19N., R.26E., M.D.B.&M.**
8. Existing place of use **Unchanged**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **A drilled and cased well equiped with a motor, pump, distribution system and a 1.3 million gallon storage tank.**
12. Estimated cost of works **\$50,000.00**
13. Estimated time required to construct works **One (1) year**
14. Estimated time required to complete the application of water to beneficial use **Five (5) years**
15. Remarks: **Refer to maps on file under permit numbers 63024 and 59133. The existing well under Permit 63024 does not provide sufficient water to support the manner of use. This application is being filed to change the Point of Diversion to a new well drilled under Permit 59136**

By **Tea Schaefer**
s/Tea Schaefer
P. O. Box 70458
Reno, Nevada 89750-0458

Compared my/ ds/bk

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of the waters of an underground source as heretofore granted under Permit 63024 is issued subject to the terms and conditions imposed in said Permit 63024 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Any well drilled under this permit shall be drilled in what has been described in the United States Geological Survey Water Supply Paper 2263 as the intermediate alluvial aquifer. In no instance shall the seal on this well be less than 100 feet below ground level.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.5 cubic feet per second, but not to exceed 100 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed before:

N/A

Water must be placed to beneficial use on or before:

May 6, 2002

Proof of the application of water to beneficial use shall be filed on or before:

June 6, 2002


Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 25th day of, May, A.D. 2001


State Engineer



Completion of work filed under 59136 on June 13, 2000

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____

