

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JUN 30 2000

Returned to applicant for correction JUL 18 2000

Corrected application filed NOV 13 2000

Map filed NOV 13 2000

The applicant **Verdi Springs Water Company, Inc.**, hereby makes application for permission to change the **Point of Diversion and Place of Use of a Portion** of water heretofore appropriated under **Permit No. 47077**

1. The source of water is **Underground**
2. The amount of water to be changed **0.138 cfs – 100 acre feet**
3. The water to be used for **Quasi-Municipal**
4. The water heretofore permitted for **Quasi-Municipal**
5. The water is to be diverted at the following point **within NW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 10 T19N, R18E, MDM or at a point from which the NW corner of Section 3 T19N, R28E, MDM bears N 28 40' 02" W, a distance of 7,782.99 feet.**
6. The existing permitted point of diversion is located within **within NE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 8 T19N, R18E, MDM, or at a point from which the S $\frac{1}{4}$ corner of said Section 8 bears S 7 33' 11" E, a distance of 1,360 feet. Refer to map filed under Permit No. 47077.**
7. Proposed place of use **Portions of following Sections: S $\frac{1}{2}$ of Section 1, Section 2, Section 3, Section 10, Section 11, Section 12, N $\frac{1}{2}$ NE $\frac{1}{4}$ Section 13 T19N, R18E, MDM and SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 35 T20N, R18E, MDM**
8. Existing place of use **E $\frac{1}{2}$ Section 7, All Section 8, All Section 9, All Section 16, All Section 17 and E $\frac{1}{2}$ Section 18 T19N, R18E, MDM. Refer to map filed under Permit No. 47077.**
9. Use will be from **January 1st to December 31st** of each year.
10. Use was permitted from **January 1st to December 31st** of each year.
11. Description of proposed works **Drilled and cased well equipped with motor, pump, totalizing meter and pipeline to place of use.**
12. Estimated cost of works **\$200,000**
13. Estimated time required to construct works **2 years**
14. Estimated time required to complete the application of water to beneficial use **Unknown - Supplemental**

66535

15. Remarks: **This source of water will be supplemental to surface water to be transferred to the same place of use.**

By **s/Michael D. Buschelman**
Michael D. Buschelman
Post Office Box 51371
Sparks, Nevada 89435

Compared cmf/gk1

Protested _____

AGENT
WITHDRAWN BY ~~AGENT~~ JUN 24 2004
J. Lucci, P.E.
STATE ENGINEER
D.A.M.
