No. 67005

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office **DEC 06 2000**

Returned to applicant for correction

Corrected application filed

Map filed **DEC 06 2000**

****

The applicant **SAM NEVIS**, hereby makes application for permission to change the **Point of Diversion and Place of Use of a Portion** of water heretofore appropriated under **Permit 59757**

****

1. The source of water is **Underground**

2. The amount of water to be changed **0.0077 cfs N.T.E. 5.59 AFA**

3. The water to be used for **No Change**

4. The water heretofore permitted for **Irrigation and Domestic**

5. The water is to be diverted at the following point **SE¼ SW¼, Section 23, T.16N., R.19E., M.D.B.&M., or at a point from which the SW corner of said Section 23 bears S. 67° 23' 45" W., a distance of 2719.46 feet.**

6. The existing permitted point of diversion is located within **SE¼ SE¼, Section 22, T.16N., R.19E., M.D.B.&M., or at a point from which the SE corner of said Section 22 bears S. 27° 31' E., a distance of 1050.0 feet.**

7. Proposed place of use **portions of the NE¼ SW¼, SE¼ SW¼, NW¼ SE¼, SW¼ SE¼, Section 23, T.16N., R.19E., M.D.B.&M., being Washoe County Assessor #55-292-03. (5.16 Acres)**

8. Existing place of use **W½ NE¼ SE¼ SE¼, Section 22, T.16N., R.19E., M.D.B.&M., within Washoe County Assessor Parcel Number 055-200-26. (5.00 Acres)**

9. Use will be from **January 1st** to **December 31st** of each year.

10. Use was permitted from **January 1st** to **December 31st** of each year.

11. Description of proposed works **existing drilled & cased 8-inch well, pump, motor, meter and distribution system.**

12. Estimated cost of works **$15,000.00**

13. Estimated time required to construct works **existing well**

14. Estimated time required to complete the application of water to beneficial use **5 years**

15. Remarks: **The total combined duty of this Application to Change 59757 and Application to Change 59758 shall not exceed 6.06 AFA. For Existing Point of Diversion and Place of Use, please use map filed in support of Application 59757.**

WESTERN ENGINEERING & SURVEYING SERVICES
By **Robert H. Cantley**
s/Robert H. Cantley
3032 Silver Sage Drive
Carson City, Nevada 89701

Compared **kdg**/cmf lb/cmf

Protested

****

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 59757 is issued subject to the terms and conditions imposed in said Permit 59757 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The total combined duty of water under Permits 67005 and 67006 shall not exceed 6.06 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Permits 67005 and 67006 are limited to the irrigation of 1.515 acres within the described place of use.

(CONTINUED ON PAGE 3)

67005

(PERMIT TERMS CONTINUED)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed **0.0077** cubic feet per second, **but not to exceed 5.59 acre-feet annually, and not to exceed a yearly duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.**

Work must be prosecuted with reasonable diligence and be completed on or before:

November 20, 2003

Proof of completion of work shall be filed before:

December 20, 2003

Water must be placed to beneficial use on or before:

November 20, 2005

Proof of the application of water to beneficial use shall be filed on or before:

December 20, 2005

Map in support of proof of beneficial use shall be filed on or before:

December 20, 2005

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this **20th** day of **November**, A.D. **2002**

Hugh Ricci, P.E.

State Engineer

Completion of work filed JUN 17 2003

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____