

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JAN 08 2001

Returned to applicant for correction _____

Corrected application filed _____

Map filed JAN 08 2001

The applicant **JEFF L. CHRISTIANSEN, dba. SPRING VALLEY PROPERTY MANAGEMENT**, hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is **Underground**
2. The amount of water applied for is **.25 c.f.s.** second-feet
 - (a) If stored in reservoir give number of acre-feet
3. The water to be used for **Commercial Use**
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated **N/A**
 - (b) Stockwater, state number and kinds of animals to be watered **N/A**
 - (c) Other use (describe fully under No. 12. "Remarks") **N/A**
 - (d) Power:
 - (1) Horsepower developed **N/A**
 - (2) Point of return of water to stream **N/A**
5. The water is to be diverted from its source at the following point **Located in the NE¹/₄-NW¹/₄ of Section 30, T.19N., R.29 E., M.D.B.& M., from a point that bears N 07° 53'00" E a distance of 826.00 feet to the N¹/₄ corner of said Section 30.**
6. Place of Use **a portion of the NE¹/₄-NW¹/₄ of Section 30, T.19 N., R.29 E., M.D.B.& M., a total of 4.04 acres.**
7. Use will begin about **JAN 1** and end about **DEC 31** of each year.
8. Description of proposed works **Drilled Well, Pump, Storage Tank & Distribution System**
9. Estimated cost of works **\$25,000**
10. Estimated time required to construct works **2 year**
11. Estimated time required to complete the application of water to beneficial use **4 years**

67060

12. Remarks: **Application is for a storage shed facility to support an office/watchman's quarters and incidental uses such as dust control and landscaping with a consumptive rate not to exceed 2,000 G.P.D., or 0.73 million gallons per year.**

By **s/Barry A. Fitzpatrick
Barry A. Fitzpatrick, S.W.R.S. #817
137 Keddie Street
Fallon, Nevada 89406**

Compared kdg/cm^f ds/cm^f

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

Any well drilled under this permit shall be drilled in what has been described in the United States Geological Survey Water Supply Paper 2263 as the intermediate alluvial aquifer. In no instance shall the seal on this well be less than 100 feet below ground level.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.25 cubic feet per second, **but not to exceed 2.24 acre-feet annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

September 17, 2003

Proof of completion of work shall be filed before:

October 17, 2003

Water must be placed to beneficial use on or before:

September 17, 2005

Proof of the application of water to beneficial use shall be filed on or before:

October 17, 2005

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 17th day of October A.D. 2001



State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed N/A _____

Certificate No. _____ Issued _____