

AMENDED

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office MAR 19 2001

Returned to applicant for correction _____

Corrected application filed APR 06 2001

Map filed APR 06 2001 under 67350

The applicant **Laird & Dee Ann Whipple**, hereby makes application for permission to change the **Point of Diversion and Place of Use** of water heretofore appropriated under **Permit 20067 Certificate 7222**

1. The source of water is **underground**
2. The amount of water to be changed **2.78 c.f.s., 700 A.F. Annually.**
3. The water to be used for **Irrigation & Domestic**
4. The water heretofore permitted for **Irrigation & Domestic**
5. The water is to be diverted at the following point **within the SW¹/₄ SE¹/₄ Section 18 at a point from which the Southeast corner of said Section 18 bears S 87° 13' 49" E. 1549.26' (in T2S, R68E, MDM)**
6. The existing permitted point of diversion is located within **the SE¹/₄ SE¹/₄ Section 18, or at a point from which the Southwest corner of said Section 18 bears S 86° 29' 07" W. 5186.41' (in T.2S., R.68E., M.D.M.)**
7. Proposed place of use in **SW¹/₄ SE¹/₄, SE¹/₄ SE¹/₄, Section 18; NW¹/₄ SW¹/₄, NE¹/₄ SW¹/₄, SW¹/₄ SW¹/₄, SE¹/₄ SW¹/₄ Section 17; SE¹/₄ NE¹/₄ NE¹/₄ NE¹/₄, SW¹/₄ NE¹/₄, NW¹/₄ SE¹/₄, NE¹/₄ SE¹/₄ Section 19; NW¹/₄ NW¹/₄, NE¹/₄ NW¹/₄, SW¹/₄ NW¹/₄, and NW¹/₄ SW¹/₄ Section 20, all in T.2S., R.68E., M.D.M.**
8. Existing place of use **N¹/₂ SE¹/₄ SE¹/₄ Section 18; SW¹/₄ SW¹/₄ Section 17, NE¹/₄ NE¹/₄ Section 19; and the NW¹/₄ NW¹/₄ Section 20, all in T.2S., R.68E. M.D.M.**
9. Use will be from **January 1st to December 31st** of each year.
10. Use was permitted from **January 1st to December 31st** of each year.
11. Description of proposed works **well and connecting pipelines to irrigation systems.**
12. Estimated cost of works **\$50,000**
13. Estimated time required to construct works **2 years**
14. Estimated time required to complete the application of water to beneficial use **3 years**
15. Remarks: **Water to be co-mingled with change permits - for Permits 16805 and 23676, combined diversion rate of 2.78 c.f.s. for Permits 16805 & 20067.**

By **Lenard D. Smith**
s/**Lenard D. Smith**
P O Box 443
Caliente, Nevada

Compared my/CMF d1/sam

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 20067, Certificate 7222 is issued subject to the terms and conditions imposed in said Permit 20067, Certificate 7222 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The total combined duty of water under Permits 67350, 67351 and 67352 shall not exceed 1,550 acre-feet annually for the irrigation of 310.0 acres within the described place of use.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined diversion rate under Permits 67350 and 67351 shall not exceed 2.78 cubic feet per second.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 2.78 cubic feet per second, but not to exceed 700 acre-feet annually, and not to exceed a yearly duty of 5.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

August 13, 2004

Proof of completion of work shall be filed before:

September 13, 2004

Water must be placed to beneficial use on or before:

August 13, 2005

Proof of the application of water to beneficial use shall be filed on or before:

September 13, 2005


Map in support of proof of beneficial use shall be filed on or before:

September 13, 2005

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 13th day of August, A.D. 2002



State Engineer

OCT 28 2004

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____