

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office AUG 06 2001

Returned to applicant for correction

Corrected application filed

Map filed OCT 22 1970 under 18827

The applicant Huntsman Ranch L.L.C. hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is U.G.

2. The amount of water applied for is .728 second-feet

(a) If stored in reservoir give number of acre-feet

3. The water to be used for I.R.R.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated 448

(b) Stockwater, state number and kinds of animals to be watered

(c) Other use (describe fully under No. 12. "Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point SE 1/4 SE 1/4 Section 12, T.12N. R.67E., M.D.B.&M. or at a point from which the E 1/4 corner of said Sec 12 bears N 6° 03' E a distance of 2610 feet

6. Place of Use Same as permit 18827;

40 acres in the NW 1/4 NE 1/4 of Sec. 13, T.12N., R.67E.

13	"	"	"	NE 1/4 NE 1/4	"	"	"	"	"
40	"	"	"	SE 1/4 NW 1/4	"	"	"	"	"
30	"	"	"	SW 1/4 NE 1/4	"	"	"	"	"
13	"	"	"	SE 1/4 NE 1/4	"	"	"	"	"
40	"	"	"	NE 1/4 SW 1/4	"	"	"	"	"
40	"	"	"	NW 1/4 SE 1/4	"	"	"	"	"
4	"	"	"	NE 1/4 SE 1/4	"	"	"	"	"
40	"	"	"	SW 1/4 SW 1/4	"	"	"	"	"
40	"	"	"	SE 1/4 SW 1/4	"	"	"	"	"
40	"	"	"	SW 1/4 SE 1/4	"	"	"	"	"
40	"	"	"	NW 1/4 NW 1/4	"	"	24	"	"
14	"	"	"	NE 1/4 NW 1/4	"	"	24	"	"
40	"	"	"	SW 1/4 NW 1/4	"	"	24	"	"
14	"	"	"	SE 1/4 NW 1/4	"	"	24	"	"

448.0 Total Acres

7. Use will begin about April 1 and end about Oct. 1 of each year.

8. Description of proposed works Existing well

9. Estimated cost of works Existing well

10. Estimated time required to construct works **Existing well**

11. Estimated time required to complete the application of water to beneficial use **NA**

12. Remarks: **This application is for diversion rate only to facilitate the operation of a center pivot system. The total combined CFS of Per 18827 Cer 7567 and this application shall equal 2.228cfs. Use map on file under Per 18827.**

**Lyman Huntsman
By s/Lyman Huntsman
HC 10 Box 10833
Ely NV 89301**

Compared my/ cmf ds/cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the Proof of Completion of Work is filed.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined diversion rate under Permit 18827, Certificate 7567, and Permit 67886 shall not exceed 2.228 cubic feet per second.

The total combined duty of water under Permits 18827, Certificate 7567; 63531; 67886, and Permit 67887 shall not exceed 1088.667 acre-feet seasonally.

All surface waters must be used for irrigation prior to the use of any of the supplemental groundwater.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.728 cubic feet per second, and not to exceed a seasonal duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

July 6, 2002

Proof of completion of work shall be filed before:

August 6, 2002

Water must be placed to beneficial use on or before:

July 6, 2003

Proof of the application of water to beneficial use shall be filed on or before:

August 6, 2003

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office

this 1st day of February A.D. 2002

Hugh Ricci
State Engineer



Completion of work filed AUG 26 2002

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____

