

AMENDED

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office SEP 21 2001

Returned to applicant for correction _____

Corrected application filed NOV 01 2001

Map filed JUN 01 1995 under 65167

The applicant **Truckee Meadows Water Authority** hereby makes application for permission to change the **Point of Diversion** of water heretofore appropriated under **Permit No. 64205**

1. The source of water is **Underground**
2. The amount of water to be changed **1.00 c.f.s., but not to exceed 718.23 acre feet annually**
3. The water to be used for **Municipal and Domestic**
4. The water heretofore permitted for **Municipal and Domestic**
5. The water is to be diverted at the following point **Situate in the NW¼ SE¼ of Section 7, T.19N., R.20E., M.D.B.&M., or at a point from which the East ¼ corner of said Section 7 bears S 85° 00' 00" E, a distance of 1,572.63 feet. See Map on file under Permit No. 65167.**
6. The existing permitted point of diversion is located within **The NW¼ NE¼ of Section 15, T.19N., R.19E., M.D.B.&M., or at a point which from the Northeast corner of said Section 15 bears North 20° 31' 00" East, a distance of 2,502.35 feet. See Map on file under Permit No. 64205.**
7. Proposed place of use **No Change. see #8**
8. Existing place of use **See attached Exhibit "A", the legal description as described in Application No. 62141 and shown on the map accompanying said application on file with the Division of Water Resources, State of Nevada.**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **Water is pumped from TMWA's existing well (Galletti), treated at the site and placed in its distribution system to serve customers.**
12. Estimated cost of works **Completed**
13. Estimated time required to construct works **Completed**
14. Estimated time required to complete the application of water to beneficial use **Ten (10) years**

15. Remarks: The Galletti well has proved to be a major production well for TMWA and is under utilized. Therefore, TMWA is moving Permit 64205 to Galletti for additional pumping capacity and increased volume for withdrawal. Both the Glen Hare and Galletti wells are within the river corridor.

By s/Kenneth C. Briscoe
Kenneth C. Briscoe
Truckee Meadows Water Authority, P.O. Box 30013
Reno, NV 89520-3013

Compared my/ cmf ds/ cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of the waters of an underground source as heretofore granted under Permit 64205, is issued subject to the terms and conditions imposed in said Permit 64205, and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.0 cubic feet per second, but not to exceed 718.33 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

December 1, 2004

Proof of completion of work shall be filed before:

January 1, 2005

Water must be placed to beneficial use on or before:

December 1, 2009

Proof of the application of water to beneficial use shall be filed on or before:

January 1, 2010

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 5th day of, April, A.D. 2002

Hugh Ricci
State Engineer



Completion of work filed JAN 18 2005
Proof of beneficial use filed _____
Cultural map filed N/A
Certificate No. _____ Issued _____




EXHIBIT "A"
PROPOSED PLACE OF USE

<u>DIVISION</u>	<u>SECTION</u>	<u>T-N</u>	<u>R-E</u>	
ALL	1-5	18	18	M.D.B.&M.
E½	6&7	18	18	M.D.B.&M.
ALL	8-17	18	18	M.D.B.&M.
E½	18&19	18	18	M.D.B.&M.
ALL	20-29	18	18	M.D.B.&M.
E½	30&31	18	18	M.D.B.&M.
ALL	32-36	18	18	M.D.B.&M.
ALL	1-5	19	18	M.D.B.&M.
E½	6&7	19	18	M.D.B.&M.
ALL	8-17	19	18	M.D.B.&M.
E½	18&19	19	18	M.D.B.&M.
ALL	20-29	19	18	M.D.B.&M.
E½	30&31	19	18	M.D.B.&M.
ALL	32-36	19	18	M.D.B.&M.
ALL	1-5	20	18	M.D.B.&M.
E½	6&7	20	18	M.D.B.&M.
ALL	8-17	20	18	M.D.B.&M.
E½	18&19	20	18	M.D.B.&M.
ALL	20-29	20	18	M.D.B.&M.
E½	30&31	20	18	M.D.B.&M.
ALL	32-36	20	18	M.D.B.&M.
ALL	1-5	21	18	M.D.B.&M.
E½	6&7	21	18	M.D.B.&M.
ALL	8-17	21	18	M.D.B.&M.
E½	18&19	21	18	M.D.B.&M.
ALL	20-29	21	18	M.D.B.&M.
E½	30&31	21	18	M.D.B.&M.
ALL	32-36	21	18	M.D.B.&M.
ALL	1-36	18	19	M.D.B.&M.
ALL	1-36	19	19	M.D.B.&M.
ALL	1-36	20	19	M.D.B.&M.
ALL	1-36	21	19	M.D.B.&M.
ALL	2-35	18	20	M.D.B.&M.
W½	36	18	20	M.D.B.&M.
ALL	1-12	19	20	M.D.B.&M.
ALL	14-23	19	20	M.D.B.&M.
ALL	26-35	19	20	M.D.B.&M.
ALL	1-36	20	20	M.D.B.&M.
ALL	1-36	21	20	M.D.B.&M.
ALL	1-36	20	21	M.D.B.&M.
ALL	1-36	21	21	M.D.B.&M.

SEE SUPPORTING MAP ON FILE WITH APPLICATION NO. 62141




EXHIBIT "B"
PROPOSED PLACE OF USE

<u>DIVISION</u>	<u>SECTION</u>	<u>T-N</u>	<u>R-E</u>	
ALL	1-5	18	18	M.D.B.&M.
E½	6&7	18	18	M.D.B.&M.
ALL	8-17	18	18	M.D.B.&M.
E½	18&19	18	18	M.D.B.&M.
ALL	20-29	18	18	M.D.B.&M.
E½	30&31	18	18	M.D.B.&M.
ALL	32-36	18	18	M.D.B.&M.
ALL	1-5	19	18	M.D.B.&M.
E½	6&7	19	18	M.D.B.&M.
ALL	8-17	19	18	M.D.B.&M.
E½	18&19	19	18	M.D.B.&M.
ALL	20-29	19	18	M.D.B.&M.
E½	30&31	19	18	M.D.B.&M.
ALL	32-36	19	18	M.D.B.&M.
ALL	1-5	20	18	M.D.B.&M.
E½	6&7	20	18	M.D.B.&M.
ALL	8-17	20	18	M.D.B.&M.
E½	18&19	20	18	M.D.B.&M.
ALL	20-29	20	18	M.D.B.&M.
E½	30&31	20	18	M.D.B.&M.
ALL	32-36	20	18	M.D.B.&M.
ALL	1-5	21	18	M.D.B.&M.
E½	6&7	21	18	M.D.B.&M.
ALL	8-17	21	18	M.D.B.&M.
E½	18&19	21	18	M.D.B.&M.
ALL	20-29	21	18	M.D.B.&M.
E½	30&31	21	18	M.D.B.&M.
ALL	32-36	21	18	M.D.B.&M.
ALL	1-36	18	19	M.D.B.&M.
ALL	1-36	19	19	M.D.B.&M.
ALL	1-36	20	19	M.D.B.&M.
ALL	1-36	21	19	M.D.B.&M.
ALL	2-35	18	20	M.D.B.&M.
W½	36	18	20	M.D.B.&M.
ALL	1-12	19	20	M.D.B.&M.
ALL	14-23	19	20	M.D.B.&M.
ALL	26-35	19	20	M.D.B.&M.
ALL	1-36	20	20	M.D.B.&M.
ALL	1-36	21	20	M.D.B.&M.
ALL	1-36	20	21	M.D.B.&M.
ALL	1-36	21	21	M.D.B.&M.

SEE SUPPORTING MAP ON FILE WITH APPLICATION NO. 62141

