

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JAN 08 2002

Returned to applicant for correction

Corrected application filed

Map filed JAN 24 2002

The applicant Jon Bircheff hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

- 1. The source of the proposed appropriation is **Underground**
- 2. The amount of water applied for is **0.1 c.f.s., 0.62 mga** second-feet
 - (a) If stored in reservoir give number of acre-feet
- 3. The water to be used for **Commercial and Domestic**
- 4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated
 - (b) Stockwater, state number and kinds of animals to be watered
 - (c) Other use (describe fully under No. 12. "Remarks")
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream
- 5. The water is to be diverted from its source at the following point **NW¼ SW¼ Section 27, T.17N., R.22E., MDM, or at a point from which the NW corner of said Section 27 bears North 17° 22' West, 4072 feet**
- 6. Place of Use **within the NW¼ SW¼ and the NE¼ SW¼ Section 27, T.17N., R.22E., MDM**
- 7. Use will begin about **January 1** and end about **December 31** of each year.
- 8. Description of proposed works **drilled well, submersible pump and motor, and water distribution system**
- 9. Estimated cost of works **\$4,500**
- 10. Estimated time required to construct works **1 year**
- 11. Estimated time required to complete the application of water to beneficial use **5 years**
- 12. Remarks: **The water under this application is for three commercial buildings, storage, and an office/residence. Water usage is calculated as follows: Watchman's Quarters - house (1000 gpd), office with restroom (50 gpd), approximately 100 storage units, landscaping - perimeter (500 gpd), 3 proposed 48'x70' commercial shops with restrooms (50 gpd each) on a 5 acre parcel.**

Brian A. Randall, Resource Concepts, Inc.
By s/Brian A. Randall
340 North Minnesota Street
Carson City, Nevada 89703

Compared my/cm f dl/cm f

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.10 cubic feet per second, but not to exceed 0.62 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

May 22, 2003

Proof of completion of work shall be filed before:

June 22, 2003

Water must be placed to beneficial use on or before:

May 22, 2007

Proof of the application of water to beneficial use shall be filed on or before:

June 22, 2007

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my Office,

this 22nd day of May, A.D. 2002



State Engineer

JUN 3 0 2003

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____

