

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office SEP 06 2002

Returned to applicant for correction _____

Corrected application filed _____

Map filed MAR 12 2002 under 68617

The applicant **Truckee Meadows Water Authority** hereby makes application for permission to change the **Point of Diversion** of water heretofore appropriated under **Permit No. 66399**

1. The source of water is **Underground**
2. The amount of water to be changed **1.00 cfs but not to exceed 560 acre feet annually**
3. The water to be used for **Municipal and Domestic**
4. The water heretofore permitted for **Municipal**
5. The water is to be diverted at the following point **Situate in the NW¹/₄ of the SW¹/₄ of Section 2, T19N, R20E, MDM, or at a point from which the west quarter corner of said Section 2 bears North 57° 25' 42" West, a distance of 1,404.34 feet (see map filed with Application No. 68617).**
6. The existing permitted point of diversion is located within **The NW¹/₄ of the NW¹/₄ of Section 35, T20N, R20E, MDM, or at a point from which the north quarter corner of said Section 35 bears North 88° 02' 14" East, a distance of 1,327.99 feet (Map filed under Permit No. 66399 – Pah Rah Park well site).**
7. Proposed place of use **There is no change in the Place of Use of where this water will be used. The Place of Use remains to be the area described and shown in Application No. 62141 on file in the office of the Nevada Division of Water Resources.**
8. Existing place of use **There is no change in the Place of Use of where this water will be used. The Place of Use remains to be the area described and shown in Application No. 62141 on file in the office of the Nevada Division of Water Resources. See Exhibit "A"**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **Work to include: drilling, casing, and installing of pumping and other related facilities to put a production well on line and connected into TMWA's distribution system.**
12. Estimated cost of works **\$700,000**
13. Estimated time required to construct works **Five (5) Years**
14. Estimated time required to complete the application of water to beneficial use **Ten (10) years**

15. Remarks: A survey was completed when Permit No. 66399 was filed with the Nevada Div. of Water Resources. There are no Domestic wells within 2,500 feet of this well site. This Application is only changing the Point of Diversion and the Place Of Use and Manner of Use remains the same.

By s/ Kenneth C. Briscoe
Kenneth C. Briscoe
Truckee Meadows Water Authority, P.O. Box 30013
Reno, Nevada 89520-3013

Compared cac/ cmf. ag/sam

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of the waters of an underground source as heretofore granted under Permit 66399 is issued subject to the terms and conditions imposed in said Permit 66399 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.0 cubic feet per second, **but not to exceed 560 acre-feet.**

Work must be prosecuted with reasonable diligence and be completed on or before:

August 11, 2006

Proof of completion of work shall be filed on or before:

September 11, 2006

Water must be placed to beneficial use on or before:

August 11, 2014

Proof of the application of water to beneficial use shall be filed on or before:

September 11, 2014

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 11th day of August, A.D. 2004


State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed N/A _____

Certificate No. _____ Issued _____

KES
9/27/02
66399

EXHIBIT "A"
PROPOSED PLACE OF USE

<u>DIVISION</u>	<u>SECTION</u>	<u>I-N</u>	<u>R-E</u>	
ALL	1-5	18	18	M.D.B.&M.
E½	6&7	18	18	M.D.B.&M.
ALL	8-17	18	18	M.D.B.&M.
E½	18&19	18	18	M.D.B.&M.
ALL	20-29	18	18	M.D.B.&M.
E½	30&31	18	18	M.D.B.&M.
ALL	32-36	18	18	M.D.B.&M.
ALL	1-5	19	18	M.D.B.&M.
E½	6&7	19	18	M.D.B.&M.
ALL	8-17	19	18	M.D.B.&M.
E½	18&19	19	18	M.D.B.&M.
ALL	20-29	19	18	M.D.B.&M.
E½	30&31	19	18	M.D.B.&M.
ALL	32-36	19	18	M.D.B.&M.
ALL	1-5	20	18	M.D.B.&M.
E½	6&7	20	18	M.D.B.&M.
ALL	8-17	20	18	M.D.B.&M.
E½	18&19	20	18	M.D.B.&M.
ALL	20-29	20	18	M.D.B.&M.
E½	30&31	20	18	M.D.B.&M.
ALL	32-36	20	18	M.D.B.&M.
ALL	1-5	21	18	M.D.B.&M.
E½	6&7	21	18	M.D.B.&M.
ALL	8-17	21	18	M.D.B.&M.
E½	18&19	21	18	M.D.B.&M.
ALL	20-29	21	18	M.D.B.&M.
E½	30&31	21	18	M.D.B.&M.
ALL	32-36	21	18	M.D.B.&M.
ALL	1-36	18	19	M.D.B.&M.
ALL	1-36	19	19	M.D.B.&M.
ALL	1-36	20	19	M.D.B.&M.
ALL	1-36	21	19	M.D.B.&M.
ALL	2-35	18	20	M.D.B.&M.
W½	36	18	20	M.D.B.&M.
ALL	1-12	19	20	M.D.B.&M.
ALL	14-23	19	20	M.D.B.&M.
ALL	26-35	19	20	M.D.B.&M.
ALL	1-36	20	20	M.D.B.&M.
ALL	1-36	21	20	M.D.B.&M.
ALL	1-36	20	21	M.D.B.&M.
ALL	1-36	21	21	M.D.B.&M.