

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office NOV 15 2002

Returned to applicant for correction _____

Corrected application filed _____

Map filed NOV 15 2002

The applicant **KATHLEEN M. BRUCE AND FRED GAWRYK, JOINT TENANTS**, hereby make application for permission to change the **POINT OF DIVERSION AND PLACE OF USE OF A PORTION** of water heretofore appropriated under **PERMIT 24582, CERT. 7673**

1. The source of water is **UNDERGROUND SOURCE**
2. The amount of water to be changed **2 ACRE FEET 0.0044 C.F.S.**
3. The water to be used for **QUASI-MUNICIPAL PURPOSES.**
4. The water heretofore permitted for **QUASI-MUNICIPAL PURPOSES.**
5. The water is to be diverted at the following point **WITHIN THE SOUTHWEST QUARTER (SW¹/₄) OF THE SOUTHWEST QUARTER (SW¹/₄) OF SECTION 18, T19S, R60E, MDM. OR AT A POINT FROM WHICH THE SOUTHWEST CORNER OF SAID SECTION 18, T19S, R60E, MDM, BEARS SOUTH 66°46'00" WEST A DISTANCE OF 755.0 FEET.**
6. The existing permitted point of diversion is located within **THE NORTHWEST QUARTER (NW¹/₄) OF THE NORTHWEST QUARTER (NW¹/₄) OF SECTION 10, T21S, R61E, MDM, OR AT A POINT FROM WHICH THE NORTHWEST CORNER OF SAID SECTION 10, T21S, R61E, MDM, BEARS NORTH 15°40' WEST A DISTANCE OF 917.0 FEET.**
7. Proposed place of use **SOUTHWEST QUARTER (SW¹/₄) OF THE SOUTHWEST QUARTER (SE¹/₄) OF THE SOUTHWEST QUARTER (SW¹/₄) OF SECTION 18, T19S, R60E, MDM. LOT 2 OF LAND DIVISION 174-92. APN 125-18-401-016**
8. Existing place of use **PORTION OF THE NORTHEAST QUARTER (NE¹/₄) OF THE NORTHEAST QUARTER (NE¹/₄), SECTION 9 AND A PORTION OF THE NORTHWEST QUARTER (NW¹/₄) OF THE NORTHWEST QUARTER (NW¹/₄) OF SECTION 10, T21S, R61E, MDM.**
9. Use will be from **January 1st to December 31st** of each year.
10. Use was permitted from **January 1st to December 31st** of each year.
11. Description of proposed works **INSTALL TOTALIZING METER**
12. Estimated cost of works **\$1000±**
13. Estimated time required to construct works **WELL IS STEEL CASED TO A DEPTH OF 600 FEET, 3 Hp SUBMERSIBLE PUMP, 3 Hp BOOSTER PUMP, 3500 GALLON STORAGE TANK, TWO BLADDER TANKS AND APPURTENANCES.**
14. Estimated time required to complete the application of water to beneficial use **3 YEARS**

15. Remarks: WATER TO SERVICE EXISTING RESIDENCE AND LANDSCAPING.

By FRED GAWRYK
s/Fred Gawryk
AGENT: FULSTONE ENTERPRISES, INC
940 S. Martin L. King Blvd., LV NV 89016

Compared cmf/ cac 1b/ cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 24582, Certificate 7673, is issued subject to the terms and conditions imposed in said Permit 24582, Certificate 7673, and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Permit 69326 is granted to provide water service to one lot described by Clark County Assessor's Parcel Number 125-18-401-016.
(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0044 cubic feet per second, but not to exceed 2.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

May 23, 2004

Proof of completion of work shall be filed before:

June 23, 2004

Water must be placed to beneficial use on or before:

May 23, 2006

Proof of the application of water to beneficial use shall be filed on or before:

June 23, 2006


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 23rd day of May, A.D. 2003



State Engineer

Completion of work filed MAY 17 2004

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____