

**AMENDED
APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office FEB 19 2003
 Returned to applicant for correction MAR 07 2003
 Corrected application filed APR 04 2003
 Map filed APR 04 2003

The applicant **Logan and Clara Knight**, hereby makes application for permission to change the **Point of Diversion, Place and Manner of Use** of a portion of water heretofore appropriated under **Permit No. 16433 (Certificate No. 4657)**

1. The source of water is **Underground**
2. The amount of water to be changed **pro-rata share of diversion rate – 2.0 acre feet per annum**
3. The water to be used for **Commercial & Domestic**
4. The water heretofore permitted for **Air Conditioning & Domestic**
5. The water is to be diverted at the following point w/in **NE¼ NE¼ Section 31 T19N, R20E, MDM** or at a point from which the **NE corner** of said Section 31 bears **N 79° degrees 01 minutes 19 seconds E**, a distance of **1,300.45 feet**. Identified as **Washoe County Assessor's Parcel Number 025-401-05**
6. The existing permitted point of diversion is located within w/in **NW¼ SE¼ Section 11 T19N, R19E, MDM** or at a point from which the **SW corner** of said Section 11 bears **S 63 degrees 08 minutes 22 seconds W**, a distance of **4,206.76 feet**. Refer to supporting map filed under **Permit No. 16433** to support the existing point of diversion
7. Proposed place of use w/in portions of the **NE¼ NE¼** and portions of the **NW¼ NE¼ Section 31 T19N, R20E, MDM** w/in **Lot 115 of Block C of Home Gardens Subdivision Tract Map #248, City of Reno** Identified as **Washoe County Assessor's Parcel Number 025-401-05**.
8. Existing place of use w/in **NW¼ SE¼ Section 11 T19N, R19E, MDM** aka the **Reno Masonic Temple Association building air conditioning system**. Refer to supporting map filed under **Permit No. 16433** to support the existing place of use.
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **Drilled and cased well, equipped with motor, pump and to place of use**
12. Estimated cost of works **\$26,000**
13. Estimated time required to construct works **1 year**
14. Estimated time required to complete the application of water to beneficial use **5 years**

15. Remarks: The applicant is not able to receive water service from Truckee Meadows Water Authority. A commercial well is necessary to serve the needs of this commercial property.

By s/Michael D. Buschelman
Michael D. Buschelman
Post Office Box 51371
Sparks, Nevada 89435

Compared $\frac{\text{cmf}}{\text{cag}} = \frac{\text{lb}}{\text{cmf}}$

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 16433, Certificate 4657 is issued subject to the terms and conditions imposed in said Permit 16433, Certificate 4657 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.02 cubic feet per second, but not to exceed 2.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

July 3, 2004

Proof of completion of work shall be filed on or before:

August 3, 2004

Water must be placed to beneficial use on or before:

July 3, 2008

Proof of the application of water to beneficial use shall be filed on or before:

August 3, 2008


Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 3rd day of July, A.D. 2003


State Engineer



Completion of work filed JUL 12 2004

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____

