

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office MAR 21 2003

Returned to applicant for correction _____

Corrected application filed _____

Map filed MAR 21 2003

The applicant **Garry Warner and Peggy Warner**, hereby make application for permission to change the **Point of Diversion, Manner of use and Place of use** of a portion of water heretofore appropriated under **Permit #24750 Certificate #8177**

1. The source of water is **Underground Source**
2. The amount of water to be changed **0.00855 c.f.s.**
3. The water to be used for **Commercial use**
4. The water heretofore permitted for **Irrigation**
5. The water is to be diverted at the following point with the **SW4 SW4 Section 12, T.20S., R.53E. M.D.B.&M.** or at a point from which the SW corner of said Section 12 bears **S 52°17'35" W** a distance of **1687.98 feet.**
6. The existing permitted point of diversion is located within the **NE4 NW4 Section 3, T.20S., R.53E. M.D.B.&M.** or at a point from which the N¼ corner of said Section 3 bears **N 45° E.**, a distance of **100.00 feet.**
7. Proposed place of use within the **SW4 SW4 Section 12, T.20S., R.53E. M.D.B.&M.** being lot **143 and lot 150 of Green Valley Estates File #20006 Nye County Records.**
8. Existing place of use within the **NW4 SW4 Section 5, T.20S., R.53E., M.D.B.&M.** **5 acre feet (1 acre) to be removed from irrigation**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **existing 8" well casing, thru plastic service line with pump moter and pressure tank**
12. Estimated cost of works **\$20,000.00**
13. Estimated time required to construct works **2 Years (existing 8" well Caseing)**
14. Estimated time required to complete the application of water to beneficial use **4 Years**
15. Remarks: **Commercial Buildings with planters and trees**

By **Richard L. Hafen**
s/Richard L. Hafen Agent
2383 Gateway Rd.
Las Vegas Nevada, 89115

Compared $\frac{cmf}{cacc}$ lb/cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 24750, Certificate 8177 is issued subject to the terms and conditions imposed in said Permit 24750, Certificate 8177 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

Permit 69757 is granted to provide water service to commercial buildings within the described place of use being Lot 143 and Lot 150 of Green Valley Estates File No. 20006, Nye County records.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.00857 cubic feet per second, but not to exceed 5.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

November 17, 2004

Proof of completion of work shall be filed on or before:

December 17, 2004

Water must be placed to beneficial use on or before:

November 17, 2005

Proof of the application of water to beneficial use shall be filed on or before:

December 17, 2005


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 17th day of November, A.D. 2003


State Engineer

Completion of work filed SEP 15 2004
Proof of beneficial use filed _____
Cultural map filed N/A
Certificate No. _____ Issued _____

