



THE STATE OF NEVADA
PERMIT TO APPROPRIATE WATER

Name of applicant: LEE A. PEARSON
Source: UNDERGROUND
Basin: SPRING VALLEY
Manner of Use: IRRIGATION
Period of Use: January 1st to December 31st
Priority Date: 04/14/2003

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the Proof of Completion of Work is filed. This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The issuance of this permit is entirely supplemental to Permit 62331 and is issued for the irrigation of 45.4 acres within the described place of use. Ground water under this right may not be used until there is no surface water available under Permit 62331.

The point of diversion and place of use is as described under items 5 & 7 respectively on the submitted application to support this permit.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.891 cubic feet per second, but not to exceed 124.05 acre-feet annually, and not to exceed a yearly duty of 2.73 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

June 5, 2009

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

June 5, 2012

Map in support of proof of beneficial use shall be filed on or before:

June 5, 2012

IN TESTIMONY WHEREOF, I, TRACY TAYLOR, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 5th day of June, A.D. 2007

Signature of Tracy Taylor, P.E., State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

It

**APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office APR 13 2003

Returned to applicant for correction _____

Corrected application filed _____

Map filed JUN 24 1994 under 59837

The applicant **Lee A. Pearson** hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is **Underground**
2. The amount of water applied for is **400 gpm** second-feet
 - (a) If stored in reservoir give number of acre-feet -
3. The water to be used for **Irrigation**
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated **80 acres**
 - (b) Stockwater, state number and kinds of animals to be watered
 - (c) Other use (describe fully under No. 12. "Remarks")
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point in the **NW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 10, T4N, R69E, MDM, a point which the east quarter corner of said Sec 10 bears S 41°52'35" E 3111.5 feet.**
6. Place of Use **the SE $\frac{1}{4}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{2}$ of Section 3, and the NW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 10, in T4N, R69E, M.D.M.**
7. Use will begin about **January 1** and end about **Dec 31** of each year.
8. Description of proposed works **well, pump & motor, pipelines for distribution to sprinkler irrigation system**
9. Estimated cost of works **\$25,000 to \$35,000**
10. Estimated time required to construct works **3 years**
11. Estimated time required to complete the application of water to beneficial use **4 years**
12. Remarks: **Use map on file under Appl. 59837 for the proposed point of diversion. This water to be used to supplement surface water from Camp Valley Creek under Permit 62331 also. Please use map for Permit 62331 to show the place of use of Permit 62331.**

By **s/Lenard D. Smith**
P O Box 443
Caliente Nev 89008"

Compared cmf/gkl

Protested _____