

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office MAY 21 2003

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed MAY 21 2003 under 70044

\*\*\*\*\*

The applicant **Double JA Land & Livestock Company, Inc.**, hereby makes application for permission to change the **Point of Diversion, Manner and Place of Use** of water heretofore appropriated under **Permit #12322 Certificate #3224**

\*\*\*\*\*

1. The source of water is **Underground**
2. The amount of water to be changed **0.15 cfs or 54.35 acre-feet per season.**
3. The water to be used for **Irrigation**
4. The water heretofore permitted for **Irrigation**
5. The water is to be diverted at the following point **within the SE¼ SE¼ Section 24, T11N, R23E, MDM, or at a point from which the E¼ corner of Section 25, T11N, R23E, MDM bears S 01°12'19" E, a distance of 2,666.97 feet.**
6. The existing permitted point of diversion is located **within the SW¼ SE¼ of Section 7, T11N, R24E, MDM or at points from which the SW corner of Section 12, T11N, R23E, MDM, bears S 89°40'20" W, 8,701.8 feet and S 82°32'35" W, 8,144.0 feet.**
7. Proposed place of use **within the SE¼ NE¼ and NE¼ NE¼ of Section 24, T11N, R23E, MDM, and within the SW¼ SW¼ of Section 18, T11N, R24E, MDM, 120 acres.**
8. Existing place of use **within the SW¼ SE¼ of Section 7, T11N, R24E, MDM, 15 acres.**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **April 1 to September 30** of each year.
11. Description of proposed works **Existing under Permits 64013 and 64014.**
12. Estimated cost of works **Existing under Permits 64013 and 64014.**
13. Estimated time required to construct works **Existing**
14. Estimated time required to complete the application of water to beneficial use **1 year**
15. Remarks:

By **Harry R. Ericson, Agent**  
s/**Harry R. Ericson**  
**6980 Sierra Center Parkway #100**  
**Reno, NV 89511**

Compared cmf/cac ag/cmf

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of the waters of an underground source as heretofore granted under Permit 12322, Certificate 3224 is issued subject to the terms and conditions imposed in said Permit 12322, Certificate 3224 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

The total combined duty of water under Permits 70044 and 70045 and any water of the Walker River Decree C-125, and storage water appurtenant to the place of use shall not exceed 173.92 acre-feet per year for the irrigation of 48.0 acres within the described place of use. The permit holder is responsible for insuring delivery of the entitled decreed and storage water (surface waters) that are supplemental to these groundwater permits. In years that the Walker River Irrigation District declares a full allocation of decreed water to the C-125 decree claims supplemental to these permits, or is able to provide full delivery of storage water to lands supplemental to these permits, groundwater shall not be pumped from the wells described in these permits. In years that the Walker River Irrigation District declares a reduced allocation of decreed or storage waters to claims supplemental to these permits, then surface waters must be used in entirety before any groundwater can be pumped from the wells to complete the allocated duty of acre-feet per acre. In years that the Walker River Irrigation District has no decreed or storage water, then groundwater can be pumped from wells to provide the allocated duty for permitted place of use.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.15 cubic feet per second, but not to exceed 54.35 acre-feet annually, and not to exceed a yearly duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed on or before:

N/A

Water must be placed to beneficial use on or before:

April 19, 2006

Proof of the application of water to beneficial use shall be filed on or before:

May 19, 2006

Map in support of proof of beneficial use shall be filed on or before:


May 19, 2006

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 19th day of April, A.D. 2004



State Engineer

Completion of work filed JAN 30 1994 under 55840

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed \_\_\_\_\_

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_

