

AMENDED
APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office JUL 28 2003
 Returned to applicant for correction OCT 08 2003
 Corrected application filed OCT 16 2003
 Map filed OCT 16 2003

The applicant **TRK LIVING TRUST, TOM KNEPPER JR. TRUSTEE**, hereby makes application for permission to change the **POINT OF DIVERSION AND PLACE OF USE OF A PORTION** of water heretofore appropriated under **PERMIT 15032 (CERTIFICATE #8712)**

1. The source of water is **UNDERGROUND SOURCE**
2. The amount of water to be changed **0.0014 C.F.S., ONE ACRE FOOT**
3. The water to be used for **QUASI-MUNICIPAL PURPOSES**
4. The water heretofore permitted for **QUASI-MUNICIPAL PURPOSES**
5. The water is to be diverted at the following point **WITHIN THE SOUTHWEST QUARTER (SW¼) OF THE NORTHWEST QUARTER (NW¼), SECTION 31, T21S, R62E, MDM, OR AT A POINT FROM WHICH THE WEST ONE-QUARTER (W¼) CORNER OF SAID SECTION 31, T21S, R62E, MDM, BEARS SOUTH 59°01'00" WEST A DISTANCE OF 1345.0 FEET.**
6. The existing permitted point of diversion is located within **A PORTION OF THE NORTHEAST QUARTER (NE¼) OF THE NORTHEAST QUARTER (NE¼) OF SECTION 9, T21S, R61E, MDM OR AT A POINT FROM WHICH THE NORTHEAST CORNER OF SAID SECTION 9, T21S, R61E, MDM, BEARS NORTH 22°48'00" EAST A DISTANCE OF 945.34 FEET. (RECORD TIE)**
7. Proposed place of use **THE EAST 220 FEET OF THE SOUTH 220 FEET OF THE NORTH 660 FEET OF GOVERNMENT LOT 2, BEING A PORTION OF THE SOUTHWEST QUARTER (SW¼) OF THE NORTHWEST QUARTER (NW¼) OF SECTION 31, T21S, R62E, MDM. APN 161-31-201-012 0.84 ACRE**
8. Existing place of use **PORTION OF THE NORTHEAST QUARTER (NE¼) OF THE NORTHEAST QUARTER (NE¼) SECTION 9 AND A PORTION OF THE NORTHWEST QUARTER (NW¼) OF THE NORTHWEST QUARTER (NW¼) OF SECTION 10, T21S, R61E, MDM.**
9. Use will be from **January 1st to December 31st** of each year.
10. Use was permitted from **January 1st to December 31st** of each year.
11. Description of proposed works **WELL SYSTEM IS COMPLETE.**
12. Estimated cost of works **NONE**
13. Estimated time required to construct works **NONE. WELL IS 8 INCH STEEL CASED TO A DEPTH OF 160 FEET, 2 HP SUBMERSIBLE PUMP, 800 GALLON STORAGE TANK AND APPURTENANCES.**

14. Estimated time required to complete the application of water to beneficial-use 3 YEARS.

15. Remarks: WATER TO BE USED WITH EXISTING RESIDENCE AND LANDSCAPING.

By **ROBERT FULSTONE**
AGENT:s/ROBERT FULSTONE
940 So. Martin L. King Blvd.
Las Vegas, NV 89106

Compared hmv/sam ag/ cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 15032, Certificate 8712 is issued subject to the terms and conditions imposed in said Permit 15032, Certificate 8712 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Permit 70265 is granted to provide additional water service to one lot described by Clark County Assessor's Parcel Number 161-31-201-012.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.00168 cubic feet per second, but not to exceed 1.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed on or before:

N/A

Water must be placed to beneficial use on or before:

January 18, 2007

Proof of the application of water to beneficial use shall be filed on or before:

February 18, 2007

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 16th day of April, A.D. 2004

State Engineer

Completion of work filed APR 11 2002 under 67649

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____

