

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office AUG 05 2003

Returned to applicant for correction _____

Corrected application filed _____

Map filed AUG 05 2003

The applicant **DAVID M. GRASHIUS and KATHRYN L. GASHIUS**, hereby make application for permission to change the **Point of Diversion and Place of Use of a Portion** of water heretofore appropriated under **Proof 04543**

1. The source of water is **Underground - Artesian**
2. The amount of water to be changed **0.0077 NTE 5.56 AFA**
3. The water to be used for **Irrigation**
4. The water heretofore permitted for **Irrigation**
5. The water is to be diverted at the following point **SW¼ SW¼ Section 11, T. 16 N., R. 19 E., M.D.B.& M. or at a point from which the W¼ corner of Section 10 T. 16 N., R. 19 E., M.D.B.& M. bears N. 74° 22' W., a distance of 5675 feet.**
6. The existing permitted point of diversion is located within **NE¼ SW¼ Section 11, T. 16 N., R. 19 E., M.D.B.& M. from which the W¼ corner of Section 10, T. 16 N., R. 19 E., M.D.B.& M. bears N. 86° 17' W., a distance of 7,713 feet.**
7. Proposed place of use **Portions of NE¼ SE¼ and SE¼ SE¼ Section 10; NW¼ SW¼ and SW¼ SW¼ Section 11, T. 16 N., R. 19 E., M.D.B.& M. being 14.67 acres. APN 055-081-74**
8. Existing place of use **24.995 acres in the NE¼ SW¼, Section 11, T. 16 N., R. 19 E., M.D.B.& M 1.39 acres to be stripped within the NE¼ SW¼ Section 11, T. 16 N., R. 19 E., M.D.B.& M.**
9. Use will be from **January 1st to December 31st** of each year.
10. Use was permitted from **January 1st to December 31st** of each year.
11. Description of proposed works **drilled and cased well, pump, motor and distribution system.**
12. Estimated cost of works **\$14,500.00**
13. Estimated time required to construct works **Three (3) years**
14. Estimated time required to complete the application of water to beneficial use **Five (5) years**
15. Remarks:

By **Susan Banovich, Agent**
s/Susan Banovich
P.O. Box 3750
Carson City, NV 89702

Compared hmv/cmf lt/gkl

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit V04543 is issued subject to the terms and conditions imposed in said Permit V04543 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 70298 and 70299 shall not exceed 6.6125 acre-feet annually

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued for the irrigation of 1.39 acres of land covered by Franktown Decree within the described place of use.

This permit is issued subject to any determination of the underground waters of Washoe Valley, Basin 6-89 that may be made under adjudication proceedings pursuant to NRS 534.100.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on February 15th of each year.

Before any water is pumped from Permits 70298 and 70299, flow from the points of diversion under Vested Claim V04542 and V04543 must be controlled to the satisfaction of the State Engineer. Plans to control such flow must be submitted and approved by this office.

In addition and before any water can be pumped for irrigation under these permits, a statement from a qualified party must be submitted and approved by this office, that the proposed wells are completed in the same artesian aquifer as the wells under the vested claims.

(CONTINUED ON PAGE 3)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0077 cubic feet per second, **but not to exceed 5.5547 acre-feet annually, and not to exceed a yearly duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.**

Work must be prosecuted with reasonable diligence and be completed on or before:

March 29, 2008

Proof of completion of work shall be filed on or before:

April 29, 2008

Water must be placed to beneficial use on or before:

March 29, 2011

Proof of the application of water to beneficial use shall be filed on or before:

April 29, 2011

Map in support of proof of beneficial use shall be filed on or before:

April 29, 2011

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 29th day of March, A.D. 2006



State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____