

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office AUG 05 2003

Returned to applicant for correction

Corrected application filed

Map filed AUG 05 2003 UNDER 70298

The applicant DAVID M. GRASHUIS and KATHRYN L. GRASHUIS, hereby make application for permission to change the Point of Diversion and Place of Use of a Portion of water heretofore appropriated under Proof 04542

- 1. The source of water is Underground - Artesian
2. The amount of water to be changed 0.0015 NTE 1.058 AFA
3. The water to be used for Irrigation
4. The water heretofore permitted for Irrigation
5. The water is to be diverted at the following point SW 1/4 SW 1/4 Section 11, T. 16 N., R. 19 E., M.D.B. & M. or at a point from which the W 1/4 corner of Section 10, T. 16 N., R. 19 E., M.D.B. & M bears N. 74° 22' W., a distance of 5,675 feet.
6. The existing permitted point of diversion is located within NW 1/4 SW 1/4 Section 11, T. 16 N., R. 19 E., M.D.B. & M. from which the W 1/4 corner of Section 10, T. 16 N., R. 19 E., M.D.B. & M. bears N. 85° 07' W., a distance of 5,391 feet.
7. Proposed place of use Portions of NE 1/4 SE 1/4 and SE 1/4 SE 1/4 Section 10; NW 1/4 SW 1/4 and SW 1/4 SW 1/4 Section 11, T. 16 N., R. 19 E., M.D.B. & M. being 14.67 acres. APN 055-081-74
8. Existing place of use 4.76 acres in the NW 1/4 SW 1/4 Section 11, T. 16 N., R. 19 E., M.D.B. & M. 0.265 acres to be stripped within the NW 1/4 SW 1/4 Section 11, T. 16 N., R. 19 E. M.D.B. & M.
9. Use will be from January 1st to December 31st of each year.
10. Use was permitted from January 1st to December 31st of each year.
11. Description of proposed works drilled and cased well, pump, motor and distribution system.
12. Estimated cost of works \$14, 500.00
13. Estimated time required to construct works Three (3) years
14. Estimated time required to complete the application of water to beneficial use Five (5) years
15. Remarks:

By Susan Banovich, Agent
s/Susan Banovich
P. O. Box 3750
Carson City, NV 89702

Compared hmw/cmf lt/gkl

Protested

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit V04542 is issued subject to the terms and conditions imposed in said Permit V04542 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 70298 and 70299 shall not exceed 6.6125 acre-feet annually

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued for the irrigation of 0.264 acres within the described place of use.

This permit is issued subject to any determinations of the underground waters of Washoe Valley, Basin 6-89 that may be made under adjudication proceedings pursuant to NRS 534.100.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on February 15th of each year.

Before any water is pumped from Permits 70298 and 70299, flow from the points of diversion under Vested Claim V04542 and V04543 must be controlled to the satisfaction of the State Engineer. Plans to control such flow must be submitted and approved by this office.

In addition and before any water can be pumped for irrigation under these permits, a statement from a qualified party must be submitted and approved by this office, that the proposed wells are completed in the same artesian aquifer as the wells under the vested claims

(CONTINUED ON PAGE 3)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0015 cubic feet per second, **but not to exceed 1.0578 acre-feet annually, and not to exceed a yearly duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.**

Work must be prosecuted with reasonable diligence and be completed on or before:

March 29, 2008

Proof of completion of work shall be filed on or before:

April 29, 2008

Water must be placed to beneficial use on or before:

March 29, 2011

Proof of the application of water to beneficial use shall be filed on or before:

April 29, 2011


Map in support of proof of beneficial use shall be filed on or before:

April 29, 2011

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 29th day of March, A.D. 2006



State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____