

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office SEP 10 2003

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed JAN 23 1995 under 60702

\*\*\*\*\*

The applicant **Don H. and Joy M. Tibbals, Trustees of the Tibbals Family Trust Agreement** hereby make application for permission to change the **Point of Diversion, Place and Manner of use of water** heretofore appropriated under **A portion of Permit No. 68761**

\*\*\*\*\*

1. The source of water is **Underground**
2. The amount of water to be changed **0.012 cfs – 2.0 acre feet**
3. The water to be used for **Quasi-Municipal**
4. The water heretofore permitted for **Irrigation and Domestic**
5. The water is to be diverted at the following point **NW¼ NE¼ of Section 28, T13N, R25E, MDM, or at a point from which the West ¼ corner of said Section 28, bears S 69°31'28" W, a distance of 3741.82 feet. Ref to supporting map filed under Permit No. 60702**
6. The existing permitted point of diversion is located within **SE¼ NE¼ of Section 16, T13N, R25E, MDM, or at a point from which the East ¼ corner of said Section 16, bears S 02°01'44" E a distance of 749.77 feet. Ref to supporting map filed under Permit No. 68761**
7. Proposed place of use **Portions of SE¼ NW¼, SW¼ NE¼, NE¼ SW¼, NW¼ SE¼, SE¼ SW¼ and SW¼ SE¼ of Section 17; NE¼ NW¼ and NW¼ NE¼ of Section 20, all in T13N, R25E, MDM Ref to supporting map filed under Permit No. 60702**
8. Existing place of use **Portions of SW¼NW¼, NW¼ SW¼ and SW¼ SW¼ of Section 15; SE¼ NE¼, NE¼ SE¼ and SE¼ SE¼ of Section 16, all in T13N, R25E, MDM Ref to supporting map filed under Permit No. 68761**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **Existing**
12. Estimated cost of works **Existing**
13. Estimated time required to construct works **Existing**
14. Estimated time required to complete the application of water to beneficial use

15. Remarks: Water to service existing occupied residential units, existing recreational area, existing parks and existing supporting commercial businesses.

By **s/Dennis Brazzanovich**  
**Dennis Brazzanovich**  
**5405 Mae Anne Avenue**  
**Reno, NV 89523**

Compared sg/sam ag/cmf

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use, and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 68761 is issued subject to the terms and conditions imposed in said Permit 68761 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

The total combined duty of water under Permits 60702, 61718, 68629, 70397, and 70398 shall not exceed 405.81 acre-feet annually.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.012 cubic feet per second, **but not to exceed 2.0 acre-feet annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

June 25, 2006

Proof of completion of work shall be filed on or before:

July 25, 2006

Water must be placed to beneficial use on or before:

June 25, 2007

Proof of the application of water to beneficial use shall be filed on or before:

July 25, 2007


Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set  
my hand and the seal of my office,

this 18th day of February, A.D. 2004

  
\_\_\_\_\_  
State Engineer



Completion of work filed AUG 04 2004

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed N/A

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_

