

NO. 71844

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office NOV 04 2004

Returned to applicant for correction _____

Corrected application filed _____

Map filed APR 28 1992 under 57521

The applicant **Gemini 5 Family Limited Partnership; Attn: Darrin Badger**, hereby make application for permission to change the **Point of Diversion, Place and Manner of Use of a portion** of water heretofore appropriated under **Permit 68493**

1. The source of water is **Underground**
2. The amount of water to be changed **0.019 c.f.s.; 4.00 Acre Feet**
3. The water to be used for **Quasi-Municipal**
4. The water heretofore permitted for **Quasi-Municipal Domestic**
5. The water is to be diverted at the following point **NW¼ NW¼ Section 29, T.19S., R.60E., MDM or at a point from which the Northwest Corner of said Section 29 bears North 34° 29' 19" West a distance of 1,399.0 feet.**
6. The existing permitted point of diversion is located within **SW¼ SE¼ Section 30, T.19S., R.60E., MDM or at a point from which the South Quarter Corner of said Section 30 bears South 14° 56' 29" West, a distance of 1,345.26 feet.**
7. Proposed place of use **E½ SW¼ SE¼ NW¼ NW¼ Section 29, T.19S., R.60E., MDM**
8. Existing place of use **E½ NW¼ SW¼ SE¼ Section 30, T. 19 S., R. 60 E., MDM**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **Well, pump motor, water meter and distribution piping**
12. Estimated cost of works **in excess of \$10,000**
13. Estimated time required to construct works **works are constructed**
14. Estimated time required to complete the application of water to beneficial use **3 years**

15. Remarks: Water to be used in support of additional development within the proposed Place of Use including a new building on site with living quarters. Please use map on file under Permit 68493 to support the existing Point of Diversion and Place of Use, and the map filed under Permit 57521 to support the proposed Point of Diversion and Place of Use.

Bruce R. Scott, Resource Concepts, Inc.

By s/ Bruce R. Scott

340 North Minnesota Street

Carson City, Nevada 89703

Compared aem/gkl ll/gkl

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 68493 is issued subject to the terms and conditions imposed in said Permit 68493 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 57521 and 71844 shall not exceed 8.48 acre-feet annually.

Permit 71844 is granted to provide water service to four parcels described as Clark County Assessor's Parcel Numbers (APN) 125-29-101-015, 125-29-101-016, 125-29-101-018 and 125-29-101-042.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.019 cubic feet per second, and not to exceed 4.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:
N/A


Proof of completion of work shall be filed on or before:
N/A

Water must be placed to beneficial use on or before:
October 21, 2007

Proof of the application of water to beneficial use shall be filed on or before:
November 21, 2007

Map in support of proof of beneficial use shall be filed on or before:
N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,
State Engineer of Nevada, have hereunto set
my hand and the seal of my office,
this 21st day of October, A.D. 2005


State Engineer

Completion of work filed November 10, 1994 under 57521
Proof of beneficial use filed _____
Cultural map filed N/A
Certificate No. _____ Issued _____

