

APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAY 05 2005

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed MAY 05 2005

\*\*\*\*\*

The applicant Sam & Julie Gilmore and Michael A. & Claudia C. Casey hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

\*\*\*\*\*

1. The source of the proposed appropriation is Underground
2. The amount of water applied for is 0.05 c.f.s. second-feet
  - (a) If stored in reservoir give number of acre-feet n/a
3. The water to be used for Commercial Use
4. If use is for:
  - (a) Irrigation, state number of acres to be irrigated n/a
  - (b) Stockwater, state number and kinds of animals to be watered n/a
  - (c) Other use (describe fully under No. 12. "Remarks") n/a
  - (d) Power:
    - (1) Horsepower developed n/a
    - (2) Point of return of water to stream n/a
5. The water is to be diverted from its source at the following point Located in the NW $\frac{1}{4}$ -NE $\frac{1}{4}$  of Sec 28, T.19N., R.28E., M.D.B.&M. from a point that bears South 33° 21'26" West, a distance of 1654.32 feet to the C $\frac{1}{4}$  Corner of said Section 28
6. Place of Use a portion of the NW $\frac{1}{4}$ -NE $\frac{1}{4}$  of Section 28, T. 19N., R. 28E., M.D.B.&M., a total of 1.00 acre.
7. Use will begin about January 1 and end about December 31 of each year.
8. Description of proposed works Drilled Well, Pump, Storage Tank & Distribution System
9. Estimated cost of works \$10,000.00
10. Estimated time required to construct works 1 year
11. Estimated time required to complete the application of water to beneficial use 4 years

12. Remarks: Application is for a new Upholstery Shop and Commercial Office Space with a consumptive use rate not to exceed 4,000 GPD or 1,460,000 gallons per year. Please see enclosed sheet showing estimated consumption.

By s/ Barry Fitzpatrick  
Barry Fitzpatrick AGENT  
178 S. Maine Street  
Fallon, NV 89406

Compared mt/gkl lt/

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Any well drilled under this permit shall be drilled in what has been described in the United States Geological Survey Water Supply Paper 2263 as the intermediate alluvial aquifer. In no instance shall the seal on this well be less than 100 feet below ground level.

This permit is issued subject to State Engineers Order 1116 which limits appropriations to 4000 gallons per day or less.

This permit is issued for service at the described place of use. Any future attempt to change the place and manner of use of this permit will be denied.

(CONTINUED ON PAGE 3)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.05 cubic feet per second, not to exceed 2.80 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

April 11, 2007

Proof of completion of work shall be filed on or before:

May 11, 2007

Water must be placed to beneficial use on or before:

April 11, 2011

Proof of the application of water to beneficial use shall be filed on or before:

May 11, 2011

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set  
my hand and the seal of my office,

this 11th day of April A.D. 2006

  
\_\_\_\_\_  
State Engineer

Completion of work filed \_\_\_\_\_

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed \_\_\_\_\_

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_