

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JUN 20 2005

Returned to applicant for correction OCT 07 2005 DEC 19 2005

Corrected application filed _____

Map filed _____

The applicant **Crescendo at Silver Springs HOA** hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. **Raymond Joe, Pres.**

1. The source of the proposed appropriation is **Underground – nuisance water**
2. The amount of water applied for is **300 gpm or 0.67 second-feet**
 - (a) If stored in reservoir give number of acre-feet
3. The water to be used for **maintaining the wetlands**
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated
 - (b) Stockwater, state number and kinds of animals to be watered
 - (c) Other use (describe fully under No. 12. "Remarks")
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point **Within the 40 acres of the SW¼; NW¼ of Section 26, Township 21 South, Range 62 East M.D.M. Being S25-29'-38"e and 2567.60 feet from the Northwest corner of Section 26, Township 21 South, Range 62 East M.D.M.**
6. Place of Use **At Wetlands Park – location to be determined by Clark County in Section 26, Township 21 South, Range 62 East M.D.M.**
7. Use will begin about **January 1** and end about **December 31** of each year.
8. Description of proposed works **A pipeline will convey combined flow from two wells to edge of Wetlands. Pipeline will discharge into channel running into wetlands.**
9. Estimated cost of works **\$52,000**
10. Estimated time required to construct works **Six months**
11. Estimated time required to complete the application of water to beneficial use **One year**

72950

12. Remarks: Water will be used to maintain moisture level as needed in Clark County Wetlands which is adjacent to HOA's. Presently groundwater is pumped from sumps (into which underdrains flow) and discharged to Duck Creek.

By s/ Raymond Joe
5217 Jewel Cyn Dr.
Las Vegas, NV 89122

WITHDRAWN BY AGENT MAR 06 2006

Compared mt/bk

Zubisi, cc. STATE ENGINEER 

Protsted _____
