



# CORRECTED PERMIT

## THE STATE OF NEVADA

### PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of applicant: **WILLIAM R. WOHLER AND CHRISTINA C. WOHLER**  
Source: **UNDERGROUND**  
Basin: **ANTELOPE VALLEY**  
Manner of Use: **IRRIGATION**  
Period of Use: **February 15th to November 15th**  
Priority Date: **10/07/1960**

\*\*\*\*\*

#### APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 19256, Certificate 6635 is issued subject to the terms and conditions imposed in said Permit 19256, Certificate 6635, and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permit 28032, Certificate 8763; Permits 65365, 65366 and 73237 shall not exceed 1,076.0 acre-feet seasonally, and is limited to the irrigation of 269.0 acres within the proposed place of use.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(Continued on Page 2)

The point of diversion and place of use are as described on the submitted application to support this permit.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 3.576 cubic feet per second or 882.91 acre-feet seasonally and not to exceed a seasonal duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

**September 24, 2010**

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

**September 24, 2011**

Map in support of proof of beneficial use shall be filed on or before:

**September 24, 2011**

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 17th day of **October**, A.D. **2011**

Jason King P.E.  
State Engineer

Completion of work filed \_\_\_\_\_

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed \_\_\_\_\_

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_



*See Corrected Permit*

**THE STATE OF NEVADA**

**PERMIT TO CHANGE POINT OF DIVERSION,  
MANNER OF USE AND PLACE OF USE OF THE  
PUBLIC WATERS OF THE STATE OF NEVADA  
HERETOFORE APPROPRIATED**

**Name of applicant:** WILLIAM R. WOHLER AND CHRISTINA C. WOHLER  
**Source:** UNDERGROUND  
**Basin:** ANTELOPE VALLEY  
**Manner of Use:** IRRIGATION  
**Period of Use:** February 15th to November 15th  
**Priority Date:** 10/07/1960

\*\*\*\*\*

**APPROVAL OF STATE ENGINEER**

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 19256, Certificate 6635 is issued subject to the terms and conditions imposed in said Permit 19256, Certificate 6635, and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permit 28032, Certificate 8763; Permits 65365, 65366 and 73237 shall not exceed 1,259.60 acre-feet seasonally, and is limited to the irrigation of 314.90 acres within the proposed place of use.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(Continued on Page 2)

The point of diversion and place of use are as described on the submitted application to support this permit.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 3.576 cubic feet per second or 882.91 acre-feet seasonally and not to exceed a seasonal duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

September 24, 2010

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

September 24, 2011

Map in support of proof of beneficial use shall be filed on or before:

September 24, 2011

IN TESTIMONY WHEREOF, I, TRACY TAYLOR, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 24th day of September, A.D. 2009

Tracy Taylor P.E.  
State Engineer

Completion of work filed Nov 29, 2010

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed \_\_\_\_\_

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_

llb

**AMENDED  
APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER  
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF  
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office SEP 09 2005  
 Returned to applicant for correction OCT 14 2005  
 Corrected application filed NOV 03 2005  
 Map filed NOV 08 2005

\*\*\*\*\*

The applicant **William R. Wohle & Christina C. Wohle** hereby makes application for permission to change the **Point of Diversion and Place of Use** of water heretofore appropriated under **Permit 19256, (Certificate #6635)**

\*\*\*\*\*

1. The source of water is **Underground**
2. The amount of water to be changed **2.89 c.f.s. (979.39 acre-feet or all remaining)**
3. The water to be used for **Irrigation**
4. The water heretofore permitted for **Irrigation**
5. The water is to be diverted at the following point within the **NE $\frac{1}{4}$ NE $\frac{1}{4}$  Section 10, T.24N, R.40E., M.D.M. from which the NE corner of said section 10 bears N11 $^{\circ}$ 35'E., 329 ft. dist.**
6. The existing permitted point of diversion is located within the **SE $\frac{1}{4}$ NE $\frac{1}{4}$  Sec. 10, T.24N., R.40E., M.D.M. from which the E $\frac{1}{4}$  corner of said Sec. 10 bears S.52 $^{\circ}$ 36'E., a distance of 114.95 feet.**
7. Proposed place of use **314.9 acres within the N $\frac{1}{2}$  Sec. 10 in T.24N., R.40E., M.D.M.**
8. Existing place of use **253.3 acres in the N $\frac{1}{2}$  of Sec. 10 in T.24N., R.40E., M.D.M.**
9. Use will be from **February 15 to November 15** of each year.
10. Use was permitted from **February 15 to November 15** of each year.
11. Description of proposed works **well, pump, and sprinkler system**
12. Estimated cost of works **\$40,000.00**
13. Estimated time required to construct works **one year**
14. Estimated time required to complete the application of water to beneficial use **3 years**
15. Remarks: Applicant intends to co-mingle rights from the three wells upon the permitted **314.9 acres.**

By **s/William A. Nisbet**  
**William A. Nisbet, Agent**  
**421 Court Street**  
**Elko, NV 89801**

Compared **bk/**\_\_\_\_\_

Protested \_\_\_\_\_