

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office JAN 19 2006

Returned to applicant for correction _____

Corrected application filed _____

Map filed JAN 19 2006 under 73728-T

The applicant **Allen & Erica Farr Family Trust Agreement of 3/19/03, Lyle & Lisa Farr Family Trust Agreement of 2/11/03 and Michael & Jessica Farr Family Trust Agreement of 1/31/03.** hereby makes application for permission to change the **Point of Diversion** a portion of water heretofore appropriated under **Permit 18947 (Certificate #6535)**

- 1. The source of water is **Underground**
- 2. The amount of water to be changed **2.5 c.f.s.**
- 3. The water to be used for **same as existing**
- 4. The water heretofore permitted for **Irrigation and Domestic**
- 5. The water is to be diverted at the following point **SW¼NE¼ Section 13, T.24N, R.40E., M.D. M. from which the S. ¼-section corner of said section 13 bears S. 14°36'W., 2,873 ft. dist.**
- 6. The existing permitted point of diversion is located within **SW¼NE¼ Sec. 13, T.24N., R.40E., M.D.M, from which the S.¼ section corner of said Sec. 13 bears S.0°30'W., a distance of 2,780.0 feet.**
- 7. Proposed place of use **same as existing**
- 8. Existing place of use **N½ Sec. 13 in T.24N., R.40E., M.D.M. (308.111 acres) see Jan 24,2006 ltr from Chilton NE¼ NE¼ 38-636 ac, NW NE 37-539, NENW 37-539, NWNW 37-670 SWNW 39-000, SENW 38-864, SWNE 38-863, SENE 40-000**
- 9. Use will be from **January 1 to December 31** of each year.
- 10. Use was permitted from **January 1 to December 31** of each year.
- 11. Description of proposed works **drilled and cased well; submersible or line shaft pump and motor, storage tanks, pipeline system to connect to existing sprinkler system which serves the existing/proposed place of use.**
- 12. Estimated cost of works **\$80,000.00**
- 13. Estimated time required to construct works **6 months**
- 14. Estimated time required to complete the application of water to beneficial use **2 years**
- 15. Remarks: **Owner seeks to complete this well to augment diminished flow being realized from existing well described under permit #18947.**

s/William A. Nisbet
By William A. Nisbet, Agent
421 Court Street
Elko, NV 89801

Compared sc/gkl lt/

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the Point of Diversion of a portion of the waters of an underground source as heretofore granted under Permit 18947, Certificate 6535 is issued subject to the terms and conditions imposed in said Permit 18947, Certificate 6535 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permit 18947, Certificate 6535, and Permit 73729 shall not exceed 1232.444 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(Continued on Page 3)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 2.50 cubic feet per second, or 650.99 acre-feet annually, and not to exceed a yearly duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

February 26, 2008

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

February 26, 2009

Map in support of proof of beneficial use shall be filed on or before:

February 26, 2009

IN TESTIMONY WHEREOF, I, TRACY TAYLOR, P.E.,
State Engineer of Nevada, have hereunto set
my hand and the seal of my office,
this 26th day of February, A.D. 2007

Tracy Taylor, P.E.
State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____