

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JAN 24 2006

Returned to applicant for correction _____

Corrected application filed _____

Map filed SEP 17 2002 under 69166

The applicant **Vandico Enterprises** hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. **6/20/96, Carson City, NV.**

1. The source of the proposed appropriation is **underground**
2. The amount of water applied for is **.05 c.f.s.** second feet.
 - (a) If stored in reservoir give number of acre-feet
3. The water to be used for **Commercial Use**
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated **N/A**
 - (b) Stockwater, state number and kind of animals to be watered **N/A**
 - (c) Other use (describe fully under No. 12. "Remarks") **N/A**
 - (d) Power:
 - (1) Horsepower developed **N/A**
 - (2) Point of return of water to stream **N/A**
5. The water is to be diverted from its source at the following point **Located in the NW¼-SE¼ of Section 31, T.19N., R.29E., M.D.B.&M., or at a point from which the C ¼ corner of said Section 31 bears N 22°15'00" W a distance of 1373.00 feet**
6. Place of Use **a portion of the NW¼-SE¼ of Section 31, T.19 N., R.29 E. M.D.B. & M., a total of 4.16 acres.**
7. Use will begin about **JAN 1** and end about **DEC 31** of each year.
8. Description of proposed works **Drilled, well, pump, storage tank & distribution system**
9. Estimated cost of works **\$40,000**
10. Estimated time required to construct works **2 year**
11. Estimated time required to complete the application of water to beneficial use **4 years.**
12. Remarks: **Application is for a 30 unit mobile home park with a consumptive rate not to**

73739

exceed 4,000 G.P.D., or 1.46 million gallons per year. Please reference map 69166

By **Jim E. Vandivier**
s/ **Jim E. Vandivier**
195 Pand S Lane
Newcastle, Ca. 95658

Compared sc/gkl lt/ gkl
Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Any well drilled under this permit shall be drilled in what has been described in the United States Geological Survey Water Supply Paper 2263 as the intermediate alluvial aquifer. In no instance shall the seal on this well be less than 100 feet below ground level.

This permit is issued subject to State Engineer's Order 1116, which limits new appropriations to 4,000 gallons per day or less.

This permit is to serve an existing mobile home park within the described place of use. Any future attempt to change the manner or place of use of this permit will be denied.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

(CONTINUED ON PAGE 3)

The amount of water to be appropriation shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.05 cubic feet per second, not to exceed 4.48 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

July 31, 2008

Proof of completion of work shall be filed on or before:

August 31, 2008

Water must be placed to beneficial use on or before:

July 31, 2010

Proof of the application of water to beneficial use shall be filed on or before:

August 31, 2010

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,
State Engineer of Nevada, have hereunto set
my hand and the seal of my office,
this 31st day of July, A.D. 2006

Jason King, P.E.
Deputy State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____