

APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office AUG 21 1986

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed MAR 18 1987 under 50583

\*\*\*\*\*

The applicant **Gary and Jana Prater** hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

\*\*\*\*\*

1. The source of the proposed appropriation is **Las Vegas Artesian Basin**
2. The amount of water applied for is **0.12** second-feet
  - (a) If stored in reservoir give number of acre-feet
3. The water to be used for **Quasi-Municipal**
4. If use is for:
  - (a) Irrigation, state number of acres to be irrigated
  - (b) Stockwater, state number and kinds of animals to be watered
  - (c) Other use (describe fully under No. 12. "Remarks")
  - (d) Power:
    - (1) Horsepower developed
    - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point **NE¼ SE¼ Section 26, Township 19 S, Range 60 E or at a point from which the E¼ Corner of said Section 26 bears N 51° 31' 01" E, a distance of 1193.07 ft.**
6. Place of Use **to be within NW¼ SW¼ NE¼ SE¼ Section 26, Township 19 S, Range 60 E, M.D.B. &M, Clark County, Nevada.**
7. Use will begin about **January 1** and end about **December 31** of each year.
8. Description of proposed works **Well and pump with two (2) pneumatic tanks for storage along with necessary piping to each parcel.**
9. Estimated cost of works **\$25,000.00**
10. Estimated time required to construct works **Well in use**
11. Estimated time required to complete the application of water to beneficial use **One (1) year**

12. Remarks: Filing application to reinstate cancelled permit # 50583 under amended order 1054. Please use map filed under cancelled permit # 50583. Well to serve (2) two existing homes.

By Gary K. Prater  
s/ Gary Prater  
5860 Maverick St.  
Las Vegas, NV 89130

Compared sg/sc lt/gkl

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued subject to State Engineer's Amended Order No. 1054, dated April 15, 1992, and is for water service to homes located on parcels identified by Clark County as APN's 125-26-706-001 and 125-26-706-002.

This permit is issued with the understanding that a municipal waterline is adjacent to the place of use, and that when the existing well becomes unserviceable the permittee must plug and abandon the well, per NAC 534.420, and connect to the municipal water provider. No alterations to the well construction or well deepening or replacement well drilling will be allowed.

(Continued on page 3)

(PERMIT TERMS CONTINUED)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.12 cubic feet per second, but not to exceed 2.24 acre-feet annually.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

April 26, 2008


Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

April 26, 2009

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, TRACY TAYLOR, P.E.,  
State Engineer of Nevada, have hereunto set  
my hand and the seal of my office,  
this 26 day of April, A.D. 2007

  
State Engineer

Completion of work filed \_\_\_\_\_

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed N/A \_\_\_\_\_

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_