



THE STATE OF NEVADA

PERMIT TO APPROPRIATE WATER

Name of Permittee: RWD CURRANT CREEK, LLC
Source: UNDERGROUND
Basin: RAILROAD VALLEY-NORTHERN PART
Manner of Use: IRRIGATION
Period of Use: MARCH 1ST THROUGH OCTOBER 31ST
Priority Date: 09/25/2007

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the proof of completion of work is filed. The State retains the right to regulate the use of the water granted herein at any and all times.

The well must be sealed from ground level to 100 feet in accordance with NAC 534.380.

This permit is also issued subject to the provision that the place of use of the water herein granted is limited to and supplemental to lands having existing surface water rights from Currant Creek.

This permit is issued ahead of senior filings for out-of-basin transfers. Pursuant to NRS 533.370(3)(d), water must remain in the basin for future economic growth and development. As such, water under this permit must remain in the basin.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 3.5 cubic feet per second or 1,664.0 acre-feet seasonally.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

May 27 2016

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


May 27 2018

Map in support of proof of beneficial use shall be filed on or before:


May 27 2018

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 27th day of May, 2015



State Engineer



**APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE OF NEVADA**

THIS SPACE FOR OFFICE USE ONLY	
Date of filing in the State Engineer's Office	<u>SEP 25 2007</u>
Returned to Applicant for correction	_____
Corrected application filed	Map Filed <u>SEP 25 2007</u>

The applicant RWD Currant Creek, LLC
5454 Arville Street of Las Vegas, Nevada 89118

_____, hereby make(s) application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association give names of members.) Richard W. Dieleman, Member

1. The source of the proposed appropriation is Underground
2. The amount of water applied for is 3.5 second feet.
 - (a) If stored in reservoir give number of acre-feet _____
3. The water to be used for Irrigation
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated 416 Acres
 - (b) Stockwater, state number and kind of animals _____
 - (c) Other use (describe fully under "No. 12. Remarks") N/A
 - (d) Power:
 - (1) Horsepower developed _____
 - (2) Point of return of water to stream _____

1733-117


5. The water is to be diverted from its source at the following point within the NE1/4 SE1/4 of Section 7, T.10 N., R.58 E., M.D.B. & M., or at a point from which the NW corner of Section 7, T.10 N., R.58 E., M.D.B. & M., bears N.59°41'41"W., 5,232.40 feet distant.
6. Place of use Portions of SE1/4NE1/4, NE1/4SE1/4 in Section 7 and portions of SW1/4NW1/4, SE1/4NW1/4, SW1/4NE1/4, NW1/4SW1/4, NE1/4SW1/4, NW1/4SE1/4, of Section 8, T.10 N., R.58 E., M.D.B. & M.; NW1/4SW1/4, NE1/4SW1/4, NW1/4SE1/4, SW1/4SW1/4, SE1/4SW1/4 SW1/4SE1/4, SE1/4SE1/4 and portions of NE1/4SE1/4 in Section 12, T.10 N., R.57 E., M.D.B. & M. 416 Acres.
7. Use will begin about March 1st and end about October 31st of each year.
8. Description of proposed works (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) A well will be drilled and the water pumped into a pipeline and sprinkler systems.
9. Estimated cost of works is \$200,000.00
10. Estimated time required to construct works 5 years
11. Estimated time required to complete the application of water to beneficial use 10 years
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
This application is being made for water to supplement the waters of the Currant Creek. Currant Creek does not have enough water in it to irrigate the lands during drought years. Therefore we are asking for 1,664 AFS. Supplemental to V10638, Permit Nos. 22050 and 64127 and Application Nos. 70270 and 75505.

TELEPHONE NUMBER

(775)289-4445

APPLICATION MUST BE SIGNED

BY THE APPLICANT OR AGENT



By Dean Neubauer, P.L.S.

824 East Aultman Street

Ely, Nevada 89301

STATE ENGINEERS OFFICE

2007 SEP 25 AM 9:54

\$250.00 FILING FEE MUST ACCOMPANY APPLICATION RECEIVED