



THE STATE OF NEVADA

APPLICATION TO APPROPRIATE WATER


Name of Applicant: CARLIN RESOURCES, LLC
Source: UNDERGROUND
Basin: LOVELOCK VALLEY
Manner of Use: COMMERCIAL
Period of Use: JANUARY 1ST THROUGH DECEMBER 31ST
Priority Date: 05/20/2008

DENIAL OF STATE ENGINEER

This application is hereby denied on the grounds that there is no unappropriated water in the source, the use of the water would conflict with existing rights and thereby threaten to prove detrimental to the public interest.

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the
seal of my office, this 21st day of April, 2015



State Engineer

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office MAY 20 2008

Returned to applicant for correction _____

Corrected application filed _____ Map filed **MAY 20 2008**

The applicant Ron Ward c/o Firstgold Corporation

1055 Cornell Ave., P.O. Box 6 of Lovelock
Street Address or P.O. Box City or Town

Nevada 89419 hereby make(s) application for permission to appropriate
State and Zip Code

the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association give names of members.)

1. The source of water is Underground
Name of stream, lake, underground, spring or other sources.

2. The amount of water applied for is 0.5 c.f.s., 8.0 A.F.A. second feet.
One second foot equals 448.83 gallons per minute.

(a) If stored in reservoir give number of acre-feet _____

3. The water to be used for Commercial
Irrigation, power, mining, commercial, domestic or other use. Must limit to one major use.

4. If use is for:
(a) Irrigation, state number of acres to be irrigated _____

(b) Stockwater, state number and kind of animals _____

(c) Other use (describe fully in No. 12) _____

(d) Power:

(1) Horsepower developed _____

(2) Point of return of water to stream _____

73-RE

5. The water is to be diverted from its source at the following point: (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)
NE¼ SE¼ Section 17, T.26N., R.31E., M.D.M., or at a point from which the NE corner of said Section 17 bears North 05° 04' East a distance of 2,663 feet.
6. Place of use: (Describe by legal subdivision. If on unsurveyed land, it should be so stated.)
Portion of the SE¼ and portion of the NE¼ of Section 17, T.26N., R.31E., M.D.M., as shown on the supporting map.
7. Use will begin about January 1 and end about December 31 of each year.
Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.)
Well, pump, motor, meter, pressure tank, distribution, and fire protection system.
9. Estimated cost of works: \$75,000
10. Estimated time required to construct works: 1 year
(If well completed, describe works.)
11. Estimated time required to complete the application of water to beneficial use: 5 years
12. Provide a detailed description of the proposed project and its water usage (use attachments if necessary):
(Failure to provide a detailed description may cause a delay in processing.)
Water is to be used for commercial development within an approximately 80 acre area. Initial usage will be for a laboratory and office building with employee facilities, landscaping, and a fire protection system. Additional buildings and facilities are anticipated as growth demands.
13. Miscellaneous remarks:
Estimated usage is based on 1,500 gpd for laboratory and related water process needs, estimated 20 employees using 100 gpd, and 1 acre of landscaping at 4.0 AFA. Diversion rate request is to allow pumping capacity for fire protection.

RECEIVED


MAY 20 2008

STATE ENGINEER'S OFFICE

rci@nv.com
E-mail Address

(775) 883-1600
Phone No.

**APPLICATION MUST BE SIGNED
 BY THE APPLICANT OR AGENT**

By Bruce R. Scott
Type or print name clearly

Signature, applicant or agent
Resource Concepts, Inc.
Company Name
340 N. Minnesota St.
Street Address or P.O. Box
Carson City, Nevada 89703
City, State, Zip Code

\$250 FILING FEE AND SUPPORTING MAP MUST ACCOMPANY APPLICATION