



THE STATE OF NEVADA

PERMIT TO APPROPRIATE WATER

Name of applicant: ST. JOHN THE BAPTIST CATHOLIC CHURCH
Source: UNDERGROUND
Basin: SMITH VALLEY
Manner of Use: COMMERCIAL
Period of Use: January 1st to December 31st
Priority Date: 07/17/2008

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 0.02 cubic feet per second or 1.45 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

March 2, 2011

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


March 2, 2012

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, TRACY TAYLOR, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 2nd day of March, A.D. 2009



2009 State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

llb

AMENDED

Application No. 77232

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

THIS SPACE FOR OFFICE USE ONLY	
Date of filing in State Engineer's Office	<u>JUL 17 2008</u>
Returned to applicant for correction	<u>JUL 22 2008</u>
Corrected application filed	<u>SEP 19 2008</u> Map filed <u>SEP 19 2008</u>

The applicant St. John the Baptist Catholic Church

P.O. Box 258 11 Hwy. 338 of Smith
Street Address or P.O. Box City or Town

Nevada 89430 hereby make(s) application for permission to appropriate
State and Zip Code

the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association give names of members.)

Roman Catholic Bishop of Reno, a corporation established March 27, 1931, Reno, Nevada
290 South Arlington Avenue, Suite 200
Reno, Nevada 89501
(775) 329-9274

1. The source of water is Underground
Name of stream, lake, underground, spring or other sources.
2. The amount of water applied for is 1.45 acre feet, 0.02 cfs second feet.
One second foot equals 448.83 gallons per minute.
 - (a) If stored in reservoir give number of acre-feet _____
3. The water to be used for Commercial
Irrigation, power, mining, commercial, domestic or other use. Must limit to one major use.
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated _____
 - (b) Stockwater, state number and kind of animals _____
 - (c) Other use (describe fully in No. 12) _____
 - (d) Power:
 - (1) Horsepower developed _____
 - (2) Point of return of water to stream _____

Exhibit "A" Fixture Count for Permit **77232**

Type of Fixture	Private Use	Public Use	No. of Fixtures	Fixture Unit Count		<<==Enter Private or Public here
				Public		
Coffee Maker	1	1	1	1		
Drinking Fountain	1	1	2	2		
Ice Maker	3	8		0		
Dishwasher-Commercial	8	15	1	15		
Dishwasher-Home	2	4		0		
Disposal-Commercial	5	10		0		
Disposal-Home	2	4		0		
Laundry Machine-Commercial	25	50		0		
Laundry Machine-Home	2	14		0		
Laundry Tub/Tray	2	4		0		
Lavatory Sink	1	2	3	6		
Sink Kitchen	2	4	1	4		
Sink Service	2	4		0		
Sink Wash	1	2		0		
Sink Bar	1	2		0		
Bathtub/Shower	1	2		0		
Urinal	1	1.5		0		
Water Closet	1.5	2.5	2	5		
Floor Sink	2	4		0		
Hose Bibb	3	5	5	25		
Car Wash Stall	8	45		0		
Total Units				58	0.97	AF*
Other, in AF						
Manufacturing Usage						<u> </u> AF
Landscaping - grass (acreage x 4 afa)						<u> </u> AF
Low Flow Heads @ 1.2 gal/head/min for (3) 15 min/week						0.36 AF
<small>9 planters (8 emitters/ea)(1.2gal/head/min)(3)(15min/wk)(30)/325851=0.36</small>						
Nursery Shrubs (2.4 gal/day/shrub)						0.07 AF
<small>48 shrubs(2.4 gal/day/shrub)(210 days)/325851=0.07</small>						
Trees (Best Estimate)						0.05 AF
<small>30 trees (with 6 1gph emitters)(3)(1 hour/week)(30)/325851=0.05</small>						
Total				1.45	AF	

* Fixture Unit count x 15 gpd x 365day divided by 325851gal/AF gives acre-feet.