



THE STATE OF NEVADA

PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of applicant: HEIDI D. AND ROY B. ROACH 2002 TRUST
Source: UNDERGROUND
Basin: ANTELOPE VALLEY
Manner of Use: QUASI-MUNICIPAL
Period of Use: January 1st to December 31st
Priority Date: 07/03/1986

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 47318 is issued subject to the terms and conditions imposed in said Permit 47318 and with the understanding that no other rights on the source will be affected by the change proposed herein. This well shall be equipped with a two (2) inch opening for measuring depth to water and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The permittee shall keep monthly records of the amount of water pumped from this well and the records must be submitted to the State Engineer on an annual basis within 30 days after the end of each calendar year.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permit 35246, Certificate 13017 and Permit 77269 shall not exceed 10.06 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(Continued on Page 2)

The point of diversion and place of use are as described on the submitted application to support this permit.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 0.15 cubic feet per second, but not to exceed 3.0 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

July 13 2011

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


July 13 2013

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 13th day of July, A.D. 2010




State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____



APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office JUL 29 2008

Returned to applicant for correction _____

Corrected application filed _____ Map filed MAR 14 1991 under 35246

The applicant HEIDI D. AND Roy B. ROACH 2002 TRUST
360 CANYON CREEK COURT of GARDNERVILLE
Street Address or P.O. Box City or Town
NEVADA 89460, hereby make(s) application for permission to change the
State and Zip Code

Point of diversion Place of use Manner of use of a portion

of water heretofore appropriated under (Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Permit 47318

- The source of water is UNDERGROUND
Name of stream, lake, underground, spring or other sources.
- The amount of water to be changed 3.0 Acre ft. ~~16 cfs~~ 0.15 cfs
Second foot, acre-foot One second foot equals 448.83 gallons per minute.
- The water to be used for QUASI-MUNICIPAL
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use.
- The water heretofore used for COMMERCIAL
If for stock, state number and kind of animals.
- The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)

NE 1/4 NW 1/4 SECTION 18, T10N, R22E, MDB 1/4M, OR AT A POINT FROM WHICH THE NE CORNER SAID SECTION 18 BEARS N 2° 50' E A DISTANCE OF 865.0 FEET. USE MAP # 35246 PBU

6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)
SE 1/4 ~~NW 1/4~~ SEC 18 T10N R22E MDB 1/4M OR AT A POINT FROM WHICH THE NE CORNER OF SAID SECTION 18 BEARS N 26° 52' 28" E, A DISTANCE OF 2161.46 ft. USE MAP 47318

KSE
 PR
 Tele-611
 8/2/08

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

22 TRAILER SPACES LOCATED WITHIN THE NE¹/₄ NW¹/₄ AND THE NW¹/₄ NE¹/₄ OF SECTION 18 TION, R22E MDBM USE MAP 35246 PBU

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

2.58 ACRES WITHIN THE SE¹/₄ NE¹/₄ OF SECTION 18, TION, R22E, MDBM. USE MAP 47318

9. Proposed use will be from JAN 1 to DEC 31 of each year.
Month and Day

10. Existing use permitted from JAN 1 to DEC 31 of each year.
Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

12. Estimated cost of works \$1000⁰⁰

13. Estimated time required to construct works 1 YR, EXISTING WELL
If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 3 YEARS

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary):
(Failure to provide a detailed description may cause a delay in processing.)

THIS WATER IS TO SATISFY WATER REQUIREMENTS FOR THE TRAILER PARK.

16. Miscellaneous remarks:

775 265-2726
Phone No.

E-mail

By

ROY B. ROACH
Print of type name clearly

Roy B. Roach
Signature, applicant or agent

Company Name

360 CANYON CREEK CT.
Street Address or P.O. Box

GARDNERVILLE NV 89460
City, State, Zip Code

APPLICATION MUST BE SIGNED BY THE APPLICANT OR AGENT

\$150 FILING FEE AND SUPPORTING MAP MUST ACCOMPANY APPLICATION

STATE ENGINEERS OFFICE
2008 JUL 29 PM 12:07