

THE STATE OF NEVADA

PERMIT TO APPROPRIATE WATER

Name of Permittee: DIANE E. HOLT
Source: UNDERGROUND
Basin: WHITE RIVER VALLEY
Manner of Use: IRRIGATION
Period of Use: APRIL 1ST THROUGH OCTOBER 1ST
Priority Date: 09/18/2008

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the Proof of Completion of Work is filed. The State retains the right to regulate the use of the water granted herein at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 5.4 cubic feet per second or 960.0 acre-feet seasonally, but not to exceed 4.0 acre-feet per acre from all sources.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

November 28 2015

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


November 28 2017

Map in support of proof of beneficial use shall be filed on or before:

November 28 2017

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 28th day of November, 2012



State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office SEP 18 2008

Returned to applicant for correction _____

Corrected application filed _____ Map filed JUL 30 2004 under 71205

The applicant DIANE E HOLT

908 SANTA HELENA AVENUE of HENDERSON

Street Address or P.O. Box City or Town

NEVADA 89015

State and Zip Code

hereby make(s) application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association give names of members.)

1. The source of water is UNDERGROUND
Name of stream, lake, underground, spring or other sources
2. The amount of water applied for is ~~4 ACRE FEET PER ACRE~~ 5.4 cfs, 960 AF second feet.
One second foot equals 448.83 gallons per minute.
 - (a) If stored in reservoir give number of acre-feet _____
3. The water to be used for HAY AND GARDEN IRRIGATION
Irrigation, power, mining, commercial, domestic or other use. Must limit to one major use
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated 240
 - (b) Stockwater, state number and kind of animals 10 HORSES
 - (c) Other use (describe fully in No. 12) _____
 - (d) Power:
 - (1) Horsepower developed _____
 - (2) Point of return of water to stream _____

*Snc
per
Telecom*

207-MP

