



# SECONDARY

## THE STATE OF NEVADA

### PERMIT TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of applicant: TOWN OF GARDNERVILLE  
Source: STORAGE  
Basin: CARSON VALLEY  
Manner of Use: QUASI-MUNICIPAL  
Period of Use: January 1st to December 31st  
Priority Date: 01/01/1876

\*\*\*\*\*

#### APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This secondary permit is issued subject to the terms and conditions under Permit 77512. The granting of this secondary permit is not intended in any way to waive or affect authority or requirements of water quality control agencies or regulations. This permit is further issued subject to the provisions of NRS 533.440 and the State retains the right to regulate the use of the water herein granted at any and all times. This secondary permit is issued subject to existing rights.

This secondary permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water that may be diverted under Secondary Permits 77512S01 and 77513S01 shall not exceed 29.9 acre-feet as decreed.

The issuance of this secondary permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

A totalizing meter or other means of measuring water approved by the office of the State Engineer must be installed in the diversion line (Draft pipeline) and accurate measurements of the amount of stored water diverted and placed to beneficial use must be kept. Due to the large place of use granted under this permit and in order to show beneficial use of water, a detailed description of each project utilizing stored water from Chichester ponds is required. These descriptions should include, but not be limited to; the job or project name, legal description of the location by legal subdivision, section, township and range; the dates, duration and type of work done and the total amount of water used for each project.

(Continued on Page 2)

The point of diversion and place of use are as described on the submitted application to support this permit.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to 19.9 acre-feet as decreed.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

September 11, 2010

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

September 11, 2012

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, TRACY TAYLOR, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 11th day of September, A.D. 2009

Tracy Taylor, P.E.  
State Engineer

Completion of work filed \_\_\_\_\_

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed \_\_\_\_\_

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_

llb



5. The water is to be diverted from its source at the following point: (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)

Chichester ponds - NE1/4 SW1/4 and SE1/4 SW1/4, Section 33, T.13N., R.20E., MDM

6. Place of use: (Describe by legal subdivision. If on unsurveyed land, it should be so stated.)

Town of Gardnerville - Portions of Sections 32, 33 and 34 of T.13N., R.20E., MDM; and portions of Sections 3, 4, 5 and 10 of T.12N., R.20E., MDM; as shown on the accompanying map as within the outermost limits of the Town of Gardnerville.

7. Use will begin about January 1 and end about December 31 of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.)

Portable pump as needed

9. Estimated cost of works: N/A

10. Estimated time required to construct works: N/A  
(If well completed, describe works.)

11. Estimated time required to complete the application of water to beneficial use: within one year 5 years Bds

12. Provide a detailed description of the proposed project and its water usage (use attachments if necessary):  
(Failure to provide a detailed description may cause a delay in processing.)

This project proposes to provide dust control water and other quasi-municipal uses, within the Town of Gardnerville, as then needed and allowed. The water is requested to be taken out of the Chichester ponds where it is held in storage. The water will be removed with a mobile pump by Town staff.

13. Miscellaneous remarks:  
This application is for a secondary use.

RECEIVED  
2008 NOV -7 PM 3:48  
STATE ENGINEERS OFFICE

brenda@exdenengineering.com  
E-mail Address

775-783-4772  
Phone No.

APPLICATION MUST BE SIGNED  
BY THE APPLICANT OR AGENT

By Brenda Stein  
Type or print name clearly  
Brenda D. Stein  
Signature, applicant or agent  
EXD Engineering & Land Surveying  
Company Name  
1641 Mono Avenue  
Street Address or P.O. Box  
Minden, NV 89423  
City, State, Zip Code

**\$250 FILING FEE AND SUPPORTING MAP MUST ACCOMPANY APPLICATION**