



CORRECTED PERMIT

THE STATE OF NEVADA

PERMIT TO APPROPRIATE WATER

Name of applicant: PEBBLE WEST ASSOCIATION
Source: UNDERGROUND
Basin: LAS VEGAS VALLEY
Manner of Use: QUASI-MUNICIPAL
Period of Use: January 1st to December 31st
Priority Date: 06/01/2009

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 69030 and 78618 (Revocable), having the same point of diversion, shall not exceed 0.011 cubic feet per second and 4.36 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use under State Engineer's Order #1054, dated April 15, 1992.

This permit is issued for quasi-municipal purposes for the single family dwellings located on the parcels identified by Clark County Assessor as APN's 176-23-101-002, 176-23-101-003 and 176-23-101-004.

(Continued on Page 2)

The point of diversion and place of use are as described on the submitted application to support this permit.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 0.1 cubic feet per second or 3.36 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

April 22, 2011

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


April 22, 2012

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 4th day of May, A.D. 2010




State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____





See Corrected Permit

Permit No. 78618

THE STATE OF NEVADA

PERMIT TO APPROPRIATE WATER

Name of applicant: PEBBLE WEST ASSOCIATION
Source: UNDERGROUND
Basin: LAS VEGAS VALLEY
Manner of Use: QUASI-MUNICIPAL
Period of Use: January 1st to December 31st
Priority Date: 06/01/2009

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 66030 and 78618 (Revocable), having the same point of diversion, shall not exceed 0.011 cubic feet per second and 4.36 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use under State Engineer's Order #1054, dated April 15, 1992.

This permit is issued for quasi-municipal purposes for the single family dwellings located on the parcels identified by Clark County Assessor as APN's 176-23-101-002, 176-23-101-003 and 176-23-101-004.

(Continued on Page 2)

The point of diversion and place of use are as described on the submitted application to support this permit.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 0.1 cubic feet per second or 3.36 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

April 22, 2011

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

April 22, 2012

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 22nd day of April, A.D. 2010

K.R. Hunt P.E.
for State Engineer


Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

llb



APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office JUN 01 2009

Returned to applicant for correction _____

Corrected application filed _____ Map filed MAY 22 1985 under 49076

The applicant PEBBLE WEST ASSOCIATION c/o DAVID A. TACK
10619 Sunwind Ave. of Las Vegas
Street Address or P.O. Box City or Town
Nevada 89135-2018 hereby make(s) application for permission to appropriate
State and Zip Code

the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association give names of members.)

Keith Hewel
Tack Family Trust, David A. & Susan M. Tack, Trustees
Garret Hypes

Per
 Fax 6/5/09
 KWC

1. The source of water is UNDERGROUND
Name of stream, lake, underground, spring or other sources.
2. The amount of water applied for is 0.1 second-feet second feet.
One second foot equals 448.83 gallons per minute.
 - (a) If stored in reservoir give number of acre-feet _____
3. The water to be used for Domestic - Quasi-municipal
Irrigation, power, mining, commercial, domestic or other use. Must limit to one major use.
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated _____
 - (b) Stockwater, state number and kind of animals _____
 - (c) Other use (describe fully in No. 12) _____
 - (d) Power:
 - (1) Horsepower developed _____
 - (2) Point of return of water to stream _____

5. The water is to be diverted from its source at the following point: (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)

Within the NE 1/4 NW 1/4 Section 23, T. 22S.

R. 60E. MDM from which the NW Corner of

6. Place of use: (Describe by legal subdivision. If on unsurveyed land, it should be so stated.) Section 23, T22S, R60E bears N 87°42'59" W a dist. of 1636.56

LOTS 1, 2 & 4 of File 47, Page 27 of Parcel Maps

APN: 176-23-101-002, 176-23-101-003, 176-23-101-004

NW 1/4 NW 1/4 NE 1/4 NW 1/4 Sec. 23, T. 22S. R 60E M.D.M.

7. Use will begin about January 1 and end about Dec. 31 of each year.

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.)

drilled well with pump & motor & storage tank

9. Estimated cost of works: completed

10. Estimated time required to construct works: Works are completed

11. Estimated time required to complete the application of water to beneficial use: 5 years

12. Provide a detailed description of the proposed project and its water usage (use attachments if necessary)

Residential Lots occupied

13. Miscellaneous remarks: FILING Application to reinstate cancelled permit # 64057 under amended Order No. 1054. Please use map filed under cancelled permit # 64057. Well to serve 3 existing Homes. APN: 176-23-101-002, 176-23-101-003, 176-23-101-004

THELLUMS@DWYERENGINEERING.COM

Thomas L. Hellums

By [Signature]

702-254-2200

702-254-2236 fax

DWYER ENGINEERING

7330 Smoke Ranch Rd. B

Las Vegas NV 89128

APPLICATION MUST BE SIGNED BY THE APPLICANT OR AGENT

\$250 FILING FEE AND SUPPORTING MAP MUST ACCOMPANY APPLICATION

STATE ENGINEERS OFFICE 2009 JUN -1 PM 12: 28 RECEIVED 6/8/09 KWC