

**THE STATE OF NEVADA****PERMIT TO APPROPRIATE WATER**

**Name of Permittee:** UNITED STATES OF AMERICA,  
NATIONAL PARK SERVICE

**Source:** SPRING (ROWLAND SPRINGS)

**Basin:** SNAKE VALLEY

**Manner of Use:** WILDLIFE

**Period of Use:** JANUARY 1ST THROUGH DECEMBER 31ST

**Priority Date:** 08/05/2009

\*\*\*\*\*

**APPROVAL OF STATE ENGINEER**

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to all existing rights on the source. It is understood that the maximum flow rate of 2.7 cubic feet per second, herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to a beneficial use. A suitable measuring device must be installed and accurate measurements of the water placed to a beneficial use must be included in the proof of such use when filed. The State retains the right to regulate the use of the water herein granted at any and all times.

Measuring devices shall be designed and a monitoring plan shall be submitted to and approved by the State Engineer prior to filing the proof of completion of work. The permittee shall be responsible for maintenance of stream flow gage(s) for the duration of the permit, including recalibration and development of a new rating curve, as field conditions warrant. Presence of the gage(s) will be deemed to represent the proof of completion of work. A monitoring program that establishes the measurement frequency and reporting requirement at the gage(s) will be jointly established by the National Park Service and the State Engineer. This plan must include monthly records of water use reported annually to the State Engineer no later than February 15 of each year.

This permit is issued as a non-consumptive use (in-stream flow) subject to State Engineer's Ruling 6324 and shall be left undiverted, remaining within the natural bed and banks of the source within the described place of use. Flow rates are limited to those shown in the application for the various periods of the year.

No change in manner of use or place of use will be allowed.

This permit is subject to the condition that the permittee must ensure that wildlife which have customarily used such water will have access thereto, NRS 533.367.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(Continued on Page 2)

The point of diversion and place of use are as described on the submitted application to support this permit.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 2.7 cubic feet per second, but not to exceed 1,955 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

December 23 2016

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


December 23 2017


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 23<sup>rd</sup> day of December, 2015

  
\_\_\_\_\_  
State Engineer



78778

Application No.

**AMENDED**

**APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

|   |                    |
|---|--------------------|
| THIS SPACE FOR OFFICE USE ONLY            |                    |
| Date of Filing in State Engineer's Office | <u>AUG 05 2009</u> |
| Returned to applicant for correction      | <u>AUG 12 2009</u> |
| Corrected Application filed               | <u>AUG 26 2009</u> |
| Map filed                                 | <u>AUG 26 2009</u> |

The applicant United States of America, National Park Service  
1201 Oakridge Drive, Suite 250 of Fort Collins  
Street Address or P.O. Box City or Town  
Colorado, 80525 hereby make(s) application for permission to appropriate the  
State and ZIP Code  
 public waters of the State of Nevada, as hereinafter stated. (If applicant incorporation; if a copartnership or association give names of members.)

- 
- The source of water is Rowland Springs  
Name of the stream, lake, underground, spring or other sources.
  - The amount of water applied for is See Response in Section 12, Remarks, Section 2  
One second foot equals 448.83 gallons per minute.  
 (a) If stored in a reservoir give the number of acre-feet \_\_\_\_\_
  - The water is to be used for Recreation, including maintenance of aquatic habitat (In-stream flow)  
Irrigation, power, mining, commercial, domestic or other use. Must be limited to one major use.
  - If use is for:
    - Irrigation, state number of acres to be irrigated \_\_\_\_\_
    - Stockwater, state number and kind of animals \_\_\_\_\_
    - Other use (describe fully in No. 12) See response in Section 13, Miscellaneous remarks, Section 4
    - Power:
      - Horsepower developed \_\_\_\_\_
      - Point of return of water to stream \_\_\_\_\_

5. The water is to be diverted from its source at the following point: (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)

The point of diversion, lying within the southeast quarter (SE1/4) of the southeast quarter (SE1/4) of Section 10, Township 13 North, Range 69 East, M.D.B.&M. from which point the southeast corner of said section 10 bears south 09° 28'59" east, 748.58 feet. Said sections are unsurveyed.

6. Place of use: (Describe by legal subdivision. If on unsurveyed land, it should be so stated)

The point of use, that part of the Rowland Springs streams, stream channels and surrounding seep areas lying within the boundaries of Great Basin National Park, located within the southeast quarter (SE1/4) of the southeast quarter (SE1/4) of section 10 township 13N range 69E M.D.B.&M. Said sections are unsurveyed.

0905 11 11 2009

0905 11 11 2009

7. Use will begin about January 1 and end about December 31 of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with a pump and motor, etc.)

Natural Channel

9. Estimated cost of works: \$3,000

10. Estimated time required to construct works: Construction is completed  
(If the well is complete, describe works.)

11. Estimated time required to complete the application of water to beneficial use: Upon receipt of permit

12. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)


Section 2 - A mean annual flow (MAF) of 2.7 cfs was estimated for Rowland Springs. This flow rate is requested from January 1 through December 31 each year.

13. Miscellaneous remarks:

Section 4 - Appropriated water would remain instream in support of wildlife, fisheries, recreation and riparian vegetation. See attached summary of Rowland Springs attributes.

chuck\_pettee@nps.gov  
E-mail Address  
970-225-3505  
Phone No.

APPLICATION MUST BE SIGNED  
BY THE APPLICANT OR AGENT

Charles W. Pettee  
Type or print name clearly  
  
Signature, applicant or agent  
National Park Service, Water Resources Division  
Company Name  
1201 Oakridge Drive, Suite 250  
Street Address or PO Box  
Fort Collins, CO 80525  
City, State, ZIP Code

2009 AUG 27  
MAF: 3.1

Revised 07/09 \$300 FILING FEE AND SUPPORTING MAP MUST ACCOMPANY APPLICATION

Protested: October 28, 2009, by Southern Nevada Water Authority, October 29, 2009, by Baker Ranches, Inc.

### **Rowland Springs attributes**

Rowland Springs is a complex spring system located within the Lehman Creek Watershed. This watershed is located on the east side of park and contains the second largest stream in the South Snake Range. The watershed has 77 perennial springs. Of these springs, 48 are simple springs and 29 are spring complexes.

This watershed contains populations of rainbow, brown and brook trout. Surveys have found that the total fish population for all three species is 2,050 trout/mile. Fishing is a major recreational use and attraction for park visitors..

Recreational infrastructure in the watershed includes three campgrounds, a two area, four trailheads, 13 miles of hiking trails, and 3 interpretive natural trails nearly all of which are located adjacent to the stream. It is the most visited watershed in the National Park.

Lehman Creek and its tributaries provide approximately 15 miles of riparian vegetation communities covering 230 acres. There are 18.3 acres of Saturated Emergent Wetlands associated with spring systems adjacent to the creek. These riparian vegetation communities have been free from livestock grazing and are in relatively pristine condition.

Fifty-five mammal species and 150 bird species have been documented in the watershed, which are dependent on the riparian habitats and stream for part of their life cycles. Six of the mammal species are classified as riparian obligates. Four bat species have been document, all of which are National Park Service species of management concern. Neotropical migrants birds are typically riparian obligates or use riparian areas disproportionately greater than other vegetation communities. In total there are 15 wildlife species of management concern partially dependent upon the stream and riparian communities found in the watershed.