



THE STATE OF NEVADA

PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of applicant: FRANK SETTELMAYER NORTH, LLC
Source: UNDERGROUND
Basin: CARSON VALLEY
Manner of Use: STOCKWATERING
Period of Use: January 1st to December 31st
Priority Date: 01/09/1961

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 19431, Certificate 5416 is issued subject to the terms and conditions imposed in said Permit 19431, Certificate 5416 and with the understanding that no other rights on the source will be affected by the change proposed herein. This well shall be equipped with a two (2) inch opening for measuring depth to water and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The total combined duty of water under Permit 19431, Certificate 5416; Permit 19433, Certificate 5418; Permit 20870, Certificate 5784; Permit 30401, Certificate 9824; Permits 76134, 77685, 77686, and 78845 shall not exceed 11.29 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 0.0078 cubic feet per second or 5.6 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

June 15 2011

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


June 15 2013

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 15th day of June, A.D. 2010



State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____



APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY	
Date of filing in State Engineer's Office	<u>AUG 20 2009</u>
Returned to applicant for correction	_____
Corrected application filed	Map filed <u>AUG 20 2009</u>

The applicant Frank Settlemeyer North, LLC
P.O. Box 523 of Glenbrook
Street and No. or P.O. Box No. City or Town
Nevada, 89413, hereby makes application for permission to change the
State and Zip Code No.

Point of Diversion and Place of Use of a Portion
of water heretofore appropriated under, Permit #19431 - CERTIFICATE #5416
Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree

and identify right in Decree.

- The source of water is Underground
Name of stream, lake, underground, spring or other sources.
- The amount of water to be changed 0.0078 cfs, 5.6 AFA
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
- The water to be used for Stock - 250 head of cattle
Irrigation, power, mining, commercial, etc. If for stock state number and kind of animals. Must limit to one major use.
- The water heretofore used for Stock - ⁵⁰⁰250 head of cattle
If for stock state number and kind of animals.
- The water is to be diverted at the following point The SE1/4 SE1/4 of Section 2, T.13N., R.19E.,
Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be stated.
M.D.M., or at a point from which the W1/4 corner of Section 12, T.13N., R.19E., M.D.M., bears
S. 19° 55' E., a distance of 3,538 feet.

- The existing point of diversion is located within ^{SE1/4}The NW1/4 SW1/4 of Section 11, T.13N., R.19E.,
If point of diversion is not changed, do not answer.
M.D.M., or at a point from which the N1/4 corner of said Section 11 bears N. 13° 06' W., a distance
of 3626 feet.

REL
per phone call
REL
per phone call
105-00
MD

7. Proposed place of use S1/2 SE1/4 of Section 2, T.13N., R.19E., M.D.M.
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.

8. Existing place of use NW1/4 SE1/4 of Section 11, T.13N., R.19E., M.D.M.
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.

9. Use will be from January 1st to December 31st of each year.
Month and Day Month and Day

10. Use permitted from January 1st to December 31st of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) New Well, pump, motor, distribution system and troughs
State manner in which water is to be diverted, i.e. diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.

12. Estimated cost of works \$15,000

13. Estimated time required to construct works 3 years
If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 5 years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
See attached remarks

2009 MAR 20 PM 4:11
STATE ENGINEER OFFICE

Bruce R. Scott, Resource Concepts, Inc.
Type or print name clearly
By [Signature]
Signature, applicant or agent
340 North Minnesota Street
Street and No., or P.O. Box No.
Carson City, Nevada 89703
City, State, Zip Code No.

APPLICATION MUST BE SIGNED BY THE APPLICANT OR AGENT

\$150 FILING FEE MUST ACCOMPANY APPLICATION

Attachment to Application to Change Permit #19431

Item 15. Remarks

Please use the map on file at the Division of Water Resources under Permit 19431 to support the existing place of use and point of diversion.