



THE STATE OF NEVADA

PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of applicant: DAVE AND RUTH RICH
Source: UNDERGROUND
Basin: CARSON VALLEY
Manner of Use: IRRIGATION AND DOMESTIC
Period of Use: APRIL 1ST TO OCTOBER 30TH
Priority Date: 06/26/1975

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 29467, Certificate 9555 is issued subject to the terms and conditions imposed in said Permit 29467, Certificate 9555 and with the understanding that no other rights on the source will be affected by the change proposed herein. This well shall be equipped with a two (2) inch opening for measuring depth to water and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 66309 and 78913 shall not exceed 2.78 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(Continued on Page 2)

This permit is limited to the irrigation of 0.375 acres within the described place of use
The point of diversion and place of use are as described on the submitted application to support this permit.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0106 cubic feet per second or 1.5 acre-feet annually.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

N/A

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


February 17, 2014

Map in support of proof of beneficial use shall be filed on or before:

February 17, 2014

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 12th day of April, A.D. 2011



State Engineer

Completion of work filed November 4, 2008 under 66309

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

AMENDED

Application No. 78913

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office SEP 22 2009

Returned to applicant for correction OCT 05 2009

Corrected application filed OCT 15 2009 Map filed OCT 16 2009

The applicant DAVE AND RUTH RICH
665 ROCKING HORSE ROAD of GARDNERVILLE
Street Address or PO Box City or Town
NEVADA 89410 hereby make(s) application for permission to change the
State and ZIP Code

Point of diversion Place of use Manner of use of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

PERMIT 29467 (CERTIFICATE 9555)

- The source of water is UNDERGROUND
Name of stream, lake, underground, spring or other sources.
- The amount of water to be changed 1.5 ACRE-FEET , 0.0106 CFS
Second feet, acre-feet. One second foot equals 448.83 gallons per minute. 2
10/16/09
CFS ADDED
- The water to be used for IRRIGATION AND DOMESTIC
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
- The water heretofore used for IRRIGATION AND DOMESTIC
If for stock, state number and kind of animals.
- The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)
WITHIN THE NE 1/4 SW 1/4 SECTION 19, T. 12 N., R. 21 E., M.D.B. & M. OR AT A POINT FROM WHICH THE S 1/4 CORNER OF SAID SECTION 19 BEARS S 11° 28' 31" E A DISTANCE OF 1788³⁶ FEET
- The existing point of diversion is located within (If point of diversion is not changed, do not answer.)

THE SE 1/4 NE 1/4 SECTION 24, T. 12 N., R. 20 E., M.D.B. & M. OR AT A POINT FROM WHICH THE E 1/4 CORNER OF SAID SECTION 24 BEARS S 66° 16' 08" E A DISTANCE OF 1,130⁰⁰ FEET,

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

0.375 ACRES WITHIN THE NE 1/4 SW 1/4 SECTION 19, T. 12 N., R. 21 E., M.D. B. & M.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

WITHIN THE SE 1/4 NE 1/4 SECTION 24, T. 12 N., R. 20 E., M.D. B. & M., A STRIP OF LAND 88³⁰ FEET BY 185⁰⁰ FEET SHALL BE REMOVED FROM THE EXISTING PLACE OF USE, THE ACREAGE STRIPPED IS 0.375 ACRES.

9. Proposed use will be from APRIL 1 to OCTOBER 30 of each year.
Month and Day Month and Day

10. Existing use permitted from APRIL 1 to OCTOBER 30 of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

DRILLED WELL, PUMP AND MOTOR, RESERVOIR, PIPES AND SPRINKLER SYSTEM

12. Estimated cost of works SYSTEM COMPLETED

13. Estimated time required to construct works ALL 8 INCH DIAMETER, SEALED WELL EXISTS.
If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 2 YEARS

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

WATER IS PUMPED FROM THE EXISTING WELL TO A RESERVOIR AND FROM THERE IT IS PUMPED TO A SPRINKLER SYSTEM.

16. Miscellaneous remarks:

E-mail Address
(775) 782-2881
Phone No.

APPLICATION MUST BE SIGNED BY THE APPLICANT OR AGENT

WYATT J. OWENS
Type or print name clearly
Wyatt J. Owens
Signature, applicant or agent
OWENS ENGINEERING
Company Name
P.O. BOX 16
Street Address or PO Box
GARDNERVILLE, NV 89410
City, State, ZIP Code

RECEIVED
2009 OCT 15 PM 1:51
STATE ENGINEERS OFFICE