

THE STATE OF NEVADA

PERMIT TO APPROPRIATE WATER

Name of applicant: VERNON E. AND ELOISE HAIK
Source: UNDERGROUND
Basin: CARSON DESERT
Manner of Use: COMMERCIAL
Period of Use: January 1st to December 31st
Priority Date: 06/09/2010

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

Upon cessation of pumping for commercial purposes at this place of use, water under this permit shall return to the source and no application to change or relinquishment will be allowed.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

Any well drilled under this permit shall be drilled in what has been described in the United States Geological Survey Water Supply Paper 2263 as the intermediate alluvial aquifer. In no instance shall the seal on this well be less than 100 feet below ground level

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.05 cubic feet per second or 2.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

November 18 2011

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


November 18 2013

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 18th day of November, A.D. 2010




State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____



APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

THIS SPACE FOR OFFICE USE ONLY	
Date of Filing in State Engineer's Office	<u>JUN 09 2010</u>
Returned to applicant for correction	_____
Corrected Application filed	Map filed <u>JUN 09 2010</u>

The applicant Vernon E. and Eloise Haik
6495 Reno Hwy. of Fallon
Street Address or P.O. Box City or Town
Nevada, 89406-8385 hereby make(s) application for permission to appropriate the
State and ZIP Code

public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

-
- The source of water is Underground
Name of the stream, lake, underground, spring or other sources.
 - The amount of water applied for is 0.05 c.f.s.
One second foot equals 448.83 gallons per minute.
 - If stored in a reservoir give the number of acre-feet N/A
 - The water is to be used for Commercial Use
Irrigation, power, mining, commercial, domestic or other use. Must be limited to one major use.
 - If use is for:
 - Irrigation, state number of acres to be irrigated N/A
 - Stockwater, state number and kind of animals N/A
 - Other use (describe fully in No. 12) N/A
 - Power:
 - Horsepower developed N/A
 - Point of return of water to stream N/A

101-44

5. The water is to be diverted from its source at the following point: (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)

Located in the NW¼ NE¼ of Sec. 30, T.19N., R.28 E., M.D.B.&M., from a point that bears North 47°-53'-42" West, a distance of 329.18 feet to the North ¼ Corner of Sec. 30, T.19N., R.28 E., M.D.B.&M.

6. Place of use: (Describe by legal subdivision. If on unsurveyed land, it should be so stated)

A portion of the NW¼ NE¼ of Sec. 30, T.19N., R.28 E., M.D.B.&M., a total of 1.70 acres

7. Use will begin about January 1 and end about December 31 of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with a pump and motor, etc.)

Drilled Well, Pump Storage Tank, & Distribution System

9. Estimated cost of works: \$20,000.00

10. Estimated time required to construct works: 1 year
(If the well is complete, describe works.)

11. Estimated time required to complete the application of water to beneficial use: 4 years

12. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

Application is for an existing commercial warehouse/office building for equipment storage and field office. See Attachment A for water usage.

13. Miscellaneous remarks:

RECEIVED
2010 JUN -9 PM 2:03
STATE ENGINEERS OFFICE

bfitzpatrick@lumosengineering.com
E-mail Address
775-883-7077 #111
Phone No. Ext.

Barry A. Fitzpatrick, S.W.R.S. #817
Type or print name clearly
Barry A. Fitzpatrick
Signature, applicant or agent
Lumos & Associates, Inc.
Company Name
800 E. College Parkway
Street Address or PO Box
Carson City, NV 89706
City, State, ZIP Code

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

ATTACHMENT A

Vernon E. and Eloise Haik

The intended use for the water well being proposed for the 1.70 acre parcel located at
6495 Reno Hwy Parcel No. 008-573-01
Fallon, Nevada

The building is a 4,500 Square Foot steel structure with two (2) restrooms including one (1) sink and one (1) toilet in each. The outside use hose bibs will be approximately three (3) outlets, one for outside wash area, and two for general watering and safety purposes.

Total estimated water consumption: 1,500 gpd