



## THE STATE OF NEVADA

### PERMIT TO APPROPRIATE WATER

**Name of Permittee:** ROBIN T. L. FRYLING  
**Source:** UNDERGROUND  
**Basin:** WINNEMUCCA SEGMENT  
**Manner of Use:** INDUSTRIAL  
**Period of Use:** JANUARY 1ST TO DECEMBER 31ST  
**Priority Date:** 04/05/2011

\*\*\*\*\*

#### APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued for industrial purposes within this described place of use only.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.078 cubic feet per second or 2.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

August 17 2012

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


August 17 2014

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 17th day of August, A.D. 2011

  
\_\_\_\_\_  
State Engineer

Completion of work filed \_\_\_\_\_

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed \_\_\_\_\_

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_

**APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

THIS SPACE FOR OFFICE USE ONLY	
Date of Filing in State Engineer's Office	<u>APR 05 2011</u>
Returned to applicant for correction	_____
Corrected Application filed	<u>APR 05 2011</u>
Map filed	_____

The applicant Robin T.L. Fryling

P.O. Box 1374 of Fernley

Street Address or P.O. Box

City or Town

Nevada, 89408 hereby make(s) application for permission to appropriate the

State and ZIP Code

public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of water is underground  
Name of the stream, lake, underground, spring or other sources.

2. The amount of water applied for is 0.078 cfs. (not to exceed 2.0 acre feet per year) See question 13  
One second foot equals 448.83 gallons per minute.

(a) If stored in a reservoir give the number of acre-feet \_\_\_\_\_

3. The water is to be used for Industrial and Domestic  
Irrigation, power, mining, commercial, domestic or other use. Must be limited to one major use.

4. If use is for:  
(a) Irrigation, state number of acres to be irrigated \_\_\_\_\_

(b) Stockwater, state number and kind of animals \_\_\_\_\_

(c) Other use (describe fully in No. 12) Industrial and Domestic

(d) Power:  
(1) Horsepower developed \_\_\_\_\_

(2) Point of return of water to stream \_\_\_\_\_

70-111

5. The water is to be diverted from its source at the following point: (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)

Within the NW1/4SW1/4 of Section 23, T.35N.,R.36E., M.D.B.&M. or at a point from which the West 1/4 corner of said Section 23 bears N48° 00'W 480.00 feet

6. Place of use: (Describe by legal subdivision. If on unsurveyed land, it should be so stated)

Portions of the SW1/4NW1/4 and the NW1/4SW1/4 of Section 23, T.35N.,R.36E., M.D.B.&M.

7. Use will begin about January 1st and end about December 31st of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with a pump and motor, etc.)

A drilled well with a pump, pressure system and water distribution system.

9. Estimated cost of works: \$15,000.00±

10. Estimated time required to construct works: 1 year

(If the well is complete, describe works.)

11. Estimated time required to complete the application of water to beneficial use: 3 years

12. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

Applicant has a Conditional Use Permit to operate an automobile scrap yard and scales. Water will be used to supply a scale house and office, landscaping, dust control and possibly a caretakers house. Total water consumption will not exceed 2.0 acre feet per year.

13. Miscellaneous remarks:

Applicant would request to divert water at a rate of up to 35 gpm, not to exceed 2.0 acre feet per year.

dms@winnemucca.net  
E-mail Address  
775-623-4414  
Phone No. Ext.

APPLICATION MUST BE SIGNED  
BY THE APPLICANT OR AGENT

John H. Milton III (agent)

Type or print name clearly

John H. Milton III

Signature, applicant or agent

Desert Mountain Surveying

Company Name

146 West Second Street

Street Address or PO Box

Winnemucca, Nevada, 89445

City, State, ZIP Code

RECEIVED  
2011 APR -5 AM 10:58  
STATE ENGINEERS OFFICE