



THE STATE OF NEVADA

PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of Permittee: CRAWFORD FAMILY LIVING TRUST DATED 3/17/2004,
KADE CRAWFORD AND ELIZABETH CRAWFORD

Source: UNDERGROUND

Basin: KELLY CREEK AREA

Manner of Use: IRRIGATION

Period of Use: JANUARY 1ST TO DECEMBER 31ST

Priority Date: 06/21/1965

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 29154, Certificate 9556, is issued subject to the terms and conditions imposed in said Permit 29154, Certificate 9556 and with the understanding that no other rights on the source will be affected by the change proposed herein. This well shall be equipped with a two (2) inch opening for measuring depth to water and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 80903, 80904, 80905, 80908, 80909, 80910, 80911, 81006, and 81007 shall not exceed 2,000 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 0.581 cubic feet per second or 275.45 acre-feet annually but not to exceed 4.0 acre-feet per acre from all sources.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

December 28 2013

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

December 28 2014

Map in support of proof of beneficial use shall be filed on or before:

December 28 2014

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 28th day of **December**, A.D. **2011**


State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY
Date of filing in State Engineer's Office JUL 27 2011
Returned to applicant for correction _____
Corrected application filed _____ Map filed JUL 27 2011 under 80903 pg.2

The applicant Eldon G. Crawford & Brenda D. Crawford, Trustees of the Crawford Family Living Trust, dated 2/17/2004 and Kade Crawford & Elizabeth Crawford
5195 East Kirkway Drive of Winnemucca
Street Address or PO Box City or Town
Nevada, 89445 hereby make(s) application for permission to change the
State and ZIP Code

PER DEED
K

- Point of diversion Place of use Manner of use of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Permit 29154 Cert 9556

RECEIVED
2011 JUL 27 AM 11:09
STATE ENGINEERS OFFICE

1. The source of water is underground
Name of stream, lake, underground, spring or other sources.
2. The amount of water to be changed 0.581 cfs
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
3. The water to be used for irrigation
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
4. The water heretofore used for irrigation
If for stock, state number and kind of animals.
5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)
within Lot 4 of Section 1, T.37N.,R.42E., M.D.B.&M., or at a point from which the NW corner of said Section 1 bears N61° 22'W 615.00 feet.
6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)
the NW1/4NW1/4 of Section 2, T.37N.,R.42E., M.D.B.&M., or at a point from which the NW corner of said Section 2 bears N0°12'W, a distance of 1303.60 feet.

66-HW

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

137.1 acres within Section 1, T.37N.,R.42E., M.D.B.&M.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

See attachment

9. Proposed use will be from January 1st to December 31st of each year.
Month and Day Month and Day

10. Existing use permitted from January 1st to December 31st of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

Drilled well and pipeline to circular sprinkler.

12. Estimated cost of works \$140,000.00±

13. Estimated time required to construct works 2 years

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 3 years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

Applicant is stripping the corners of fields irrigated by circular sprinklers (Permits 28768, 29154, 29885, 29886, 29887, 29888, 29889, 29890, 29891, 41522 & 43848), combining them together to irrigate 4 new circular sprinklers.

16. Miscellaneous remarks:

dms@winnemucca.net

E-mail Address

775-623-4414

Phone No.

Ext.

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

John H. Milton III

Type or print name clearly

John H. Milton III

Signature, applicant or agent

Desert Mountain Surveying

Company Name

146 West Second Street

Street Address or PO Box

Winnemucca, Nevada, 89445

City, State, ZIP Code

Question "8" Attachment

Existing Place of Use

40.1	acres in the NW¹/₄ NW¹/₄ of Section 2, T.37N., R.42E., M.D.B.&M.				
40.0	" "	NE ¹ / ₄ NW ¹ / ₄	"	"	" "
40.0	" "	SW ¹ / ₄ NW ¹ / ₄	"	"	" "
40.0	" "	SE ¹ / ₄ NW ¹ / ₄	"	"	" "
40.0	" "	NW ¹ / ₄ NE ¹ / ₄	"	"	" "
39.9	" "	NE ¹ / ₄ NE ¹ / ₄	"	"	" "
40.0	" "	SW ¹ / ₄ NE ¹ / ₄	"	"	" "
40.0	" "	SE ¹ / ₄ NE ¹ / ₄	"	"	" "
40.6	" "	NW ¹ / ₄ SW ¹ / ₄	"	"	" "
41.2	" "	NE ¹ / ₄ SW ¹ / ₄	"	"	" "
38.7	" "	SW ¹ / ₄ SW ¹ / ₄	"	"	" "
39.4	" "	SE ¹ / ₄ SW ¹ / ₄	"	"	" "
40.2	" "	NW ¹ / ₄ SE ¹ / ₄	"	"	" "
39.6	" "	NE ¹ / ₄ SE ¹ / ₄	"	"	" "
38.4	" "	SW ¹ / ₄ SE ¹ / ₄	"	"	" "
39.0	" "	SE ¹ / ₄ SE ¹ / ₄	"	"	" "

637.10 Total

Acreege To Be Removed

8.85	acres in the NW¹/₄ NW¹/₄ of Section 2, T.37N., R.42E., M.D.B.&M.				
8.75	" "	NE ¹ / ₄ NW ¹ / ₄	"	"	" "
8.75	" "	SW ¹ / ₄ NW ¹ / ₄	"	"	" "
8.75	" "	SE ¹ / ₄ NW ¹ / ₄	"	"	" "
8.75	" "	NW ¹ / ₄ NE ¹ / ₄	"	"	" "
8.65	" "	NE ¹ / ₄ NE ¹ / ₄	"	"	" "
8.75	" "	SW ¹ / ₄ NE ¹ / ₄	"	"	" "
8.75	" "	SE ¹ / ₄ NE ¹ / ₄	"	"	" "
9.35	" "	NW ¹ / ₄ SW ¹ / ₄	"	"	" "
9.95	" "	NE ¹ / ₄ SW ¹ / ₄	"	"	" "
7.45	" "	SW ¹ / ₄ SW ¹ / ₄	"	"	" "
8.15	" "	SE ¹ / ₄ SW ¹ / ₄	"	"	" "
8.95	" "	NW ¹ / ₄ SE ¹ / ₄	"	"	" "
8.35	" "	NE ¹ / ₄ SE ¹ / ₄	"	"	" "
7.15	" "	SW ¹ / ₄ SE ¹ / ₄	"	"	" "
7.75	" "	SE ¹ / ₄ SE ¹ / ₄	"	"	" "

137.1 Total

RECEIVED
2011 JUL 27 AH 11:08
STATE ENGINEERS OFFICE