



THE STATE OF NEVADA

PERMIT TO APPROPRIATE WATER

Name of Permittee: ROBERT R. AND DEBRA M. DEPAOLI
Source: SECTION 34 SPRING
Basin: HIGH ROCK LAKE VALLEY
Manner of Use: STOCKWATERING
Period of Use: JANUARY 1ST THROUGH DECEMBER 31ST
Priority Date: 09/02/2011

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the period of use and the average number of livestock served from the waters of this source. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 80607, 80608, 81151 and 81152 shall not exceed 5.26 acre-feet annually or sufficient to water 235 head of cattle.

This permit is subject to the condition that the permittee must ensure that wildlife which has customarily used such water will have access thereto, NRS 533.367.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.008 cubic feet per second or 5.26 acre-feet annually, sufficient to water 235 head of cattle.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

March 29 2013

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


March 29 2015

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 29th day of March, A.D. 2012



State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

THIS SPACE FOR OFFICE USE ONLY	
Date of Filing in State Engineer's Office	<u>SEP 02 2011</u>
Returned to applicant for correction	_____
Corrected Application filed	Map filed <u>SEP 02 2011</u>

The applicant Robert R. Depaoli and Debra M. Depaoli

 _____ of _____
Street Address or P.O. Box City or Town
1415 Arobio Lane Lovelock

Nevada 89419 State and ZIP Code hereby make(s) application for permission to appropriate the

public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

-
- The source of water is Section 34 Spring
Name of the stream, lake, underground, spring or other sources.
 - The amount of water applied for is 0.008 cfs or sufficient water for 235 cattle
One second foot equals 448.83 gallons per minute.
 (a) If stored in a reservoir give the number of acre-feet _____
 - The water is to be used for Stockwatering
Irrigation, power, mining, commercial, domestic or other use. Must be limited to one major use.
 - If use is for:
 - Irrigation, state number of acres to be irrigated _____
 - Stockwater, state number and kind of animals 235 cattle
 - Other use (describe fully in No. 12) _____
 - Power:
 - Horsepower developed _____
 - Point of return of water to stream _____

25-1117

5. The water is to be diverted from its source at the following point: (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)

NW 1/4 NW 1/4, Section 34, T.38N., R.23E., M.D.B. & M., or at a point from which the NE 1/4 of said Section 34 bears N. 82° 03' 38" E., a distance of 4,511.6 feet

6. Place of use: (Describe by legal subdivision. If on unsurveyed land, it should be so stated)

NW 1/4 NW 1/4 Section 34, T.38N., R.23E., M.D.B. & M.

0000000000

7. Use will begin about January 1 and end about December 31 of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with a pump and motor, etc.)

Existing improved spring equipped with spring collection box, pipes, troughs and earthen tank

9. Estimated cost of works: \$5,000.00

10. Estimated time required to construct works: Completed
(If the well is complete, describe works.)

11. Estimated time required to complete the application of water to beneficial use: Three (3) years

12. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

13. Miscellaneous remarks:

Spring is located on public lands administered by the US BLM and lies within the Leadville Grazing Allotment. A copy of the grazing permit showing Robert R. Depaoli as the allotment holder is already on filed under Application 80605. Wildlife that customarily utilize this water source shall continue to have access to it.

gregb@tecreno.com

E-mail Address

(775) 352-7800 extension 227

Phone No.

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

Gregory M. Bilyeu

Type or print name clearly

Signature, applicant or agent

TEC Civil Engineering Consultants

Company Name

9480 Double Diamond Parkway, Suite 200

Street Address or PO Box

Reno, NV 89521

City, State, ZIP Code

STATE ENGINEERING OFFICE
2011 SEP -2 PM 4:04

RECEIVED