



THE STATE OF NEVADA

**PERMIT TO CHANGE THE PUBLIC WATERS OF THE
STATE OF NEVADA HERETOFORE APPROPRIATED**

Name of Permittee: DAVID STONE AND MARLINA STONE
Source: TRUCKEE RIVER
Basin: TRUCKEE CANYON SEGMENT
Manner of Use: MUNICIPAL
Period of Use: AS DECREED
Priority Date: AS DECREED

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit, to change the point of diversion, place and manner of use of a portion of the waters of the Truckee River as heretofore granted under Claim 331, Truckee River Decree, is issued subject to the terms and conditions imposed in said decree and with the understanding that no other rights on the source will be affected by the change proposed herein. A suitable measuring device must be installed and accurate measurements of water placed to beneficial use must be kept.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 0.0011 cubic feet per second or 0.72 acre-feet as decreed.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

N/A

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


July 27 2022

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 27th day of July, 2012




State Engineer

Completion of work filed October 25, 2007 under 74746

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____



APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office OCT 12 2011

Returned to applicant for correction _____

Corrected application filed _____ Map filed OCT 13 2008 under 77478

The applicant David Stone and Marlina Stone
5081 Chappellet Drive of Sparks
Street Address or PO Box City or Town
NV 89436 hereby make(s) application for permission to change the
State and ZIP Code

- Point of diversion Place of use Manner of use of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Claim 331 of The Truckee River Decree, said decree entered in the District Court of The United States for Nevada in that certain action entitled, "The United States of America, Plaintiff, vs. Orr Water Ditch Company, et al., Defendants," in Equity Docket No. A-3

1. The source of water is Truckee River
Name of stream, lake, underground, spring or other sources.
2. The amount of water to be changed 0.00103 CFS and 0.72 acre feet annually.
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
3. The water to be used for Municipal
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
4. The water heretofore used for _____
If for stock, state number and kind of animals.
5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)
See Exhibit "A" attached hereto and map supporting Application 77478 on file with the State Engineer.

6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)
NE1/4 SW1/4 of Section 17, T.19N., R.19E., M.D.B. & M. or at a point from which the Southwest corner of said Section 17 bears S. 44° 40' W. a distance of 3211.00 feet (Orr Ditch and Orr Extension Ditch).

9/12/12

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

See Exhibit "B" attached hereto and map supporting Application 77478 on file with the State Engineer.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

Section 34, T.20N., R.20E., M.D.B. & M.

NW1/4 NW1/4 - 0.18 acres

APN 035-300-96 See Map TR-059

9. Proposed use will be from January 1 to December 31 of each year.
Month and Day Month and Day

10. Existing use permitted from as decreed to _____ of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

Existing treatment plants and distribution system facilities.

12. Estimated cost of works Existing

13. Estimated time required to construct works Existing

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use ten years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

Water will be diverted from the Truckee River into existing TMWA water treatment plants, treated and placed into existing TMWA distribution systems where it will be delivered to existing and future customers of TMWA.

16. Miscellaneous remarks:

New APN is 035-301-53

firthwater@sbcglobal.net


E-mail Address

323-4323

Phone No.

Ext.

ROBERT E. FIRTH



Signature, applicant or agent

Company Name

360 East Riverview Circle

Street Address or PO Box

Reno, NV 89509

City, State, ZIP Code

APPLICATION MUST BE SIGNED BY THE APPLICANT OR AGENT

RECEIVED
2011 OCT 12 PM 2:12
STATE ENGINEER'S OFFICE

EXHIBIT "A"

The following describes the multiple points of diversion for Truckee Meadows Water Authority's Water Treatment Plants and Facilities and Washoe County's Hidden Valley Induction Well #4, which are shown on the map accompanying Application No. 77478 on file with the State of Nevada, Division of Water Resources, more particularly described as follows:

STEAMBOAT CANAL (HUNTER CREEK RESERVOIR) Detail 1:

The point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE¼ SW¼) of Section 31, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 31 bears South 62°04' East, a distance of 3,195.00 feet.

KATZ DITCH (VERDI FLUME) Detail 2:

The point of diversion is situate within the Southeast one-quarter of the Southeast one-quarter (SE¼ SE¼) of Section 19, T. 19N., R. 18E., M.D.B.&M., Washoe County, Nevada from said point of diversion, the Southeast corner of said Section 19 bears South 39°58' East, a distance of 845.00 feet.

HIGHLAND DITCH (HIGHLAND RESERVOIR) Detail 3:

The point of diversion is situate within the Southwest one-quarter of the Southeast one-quarter (SW¼ SE¼) of Section 9, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 9 bears South 75°16' East, a distance of 1,650.00 feet.

ORR DITCH (CHALK BLUFF TREATMENT PLANT) Detail 4:

The point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE¼ SW¼) of Section 17, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southwest corner of said Section 17 bears South 44°40' West, a distance of 3,211.00 feet.

ORR DITCH PUMP STATION (CHALK BLUFF TREATMENT PLANT) Detail 5:

The point of diversion is situate within the Northeast one-quarter of the Southeast one-quarter (NE¼ SE¼) of Section 17, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Northeast corner of said Section 17 bears North 15°39'36" East, a distance of 3,264.77 feet.

IDLEWILD TREATMENT PLANT Detail 6:

The point of diversion is situate within the Southeast one-quarter of the Southeast one-quarter (SE¼ SE¼) of Section 10, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 10 bears South 69°57'58" East, a distance of 842.34 feet.

NORTH TRUCKEE DITCH (GLENDALE TREATMENT PLANT) Detail 7:

The point of diversion is situate within the Southwest one-quarter of the Northeast one-quarter (SW¼ NE¼) of Section 7, T.19N., R.20E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Northeast corner of said Section 7 bears North 39°28' East, a distance of 3,015.00 feet.

WASHOE COUNTY (HIDDEN VALLEY INDUCTION WELL #4) Detail 8:

The point of diversion is situate within the West one-half of the Northwest one-quarter (W½ NW¼) of Section 16 T.19N., R.20E., M.D.B.&M., Washoe County, Nevada from said point of diversion, the West one-quarter corner of Section 21, T.19N., R.20E., M.D.B.&M. bears South 09°54'07" West, a distance of 6929.94 feet.

EXHIBIT "B"
PROPOSED PLACE OF USE

<u>DIVISION</u>	<u>SECTION</u>	<u>T-N</u>	<u>R-E</u>	
ALL	1-5	18	18	M.D.B.&M.
E ½	6 & 7	18	18	M.D.B.&M.
ALL	8-17	18	18	M.D.B.&M.
E ½	18 & 19	18	18	M.D.B.&M.
ALL	20-29	18	18	M.D.B.&M.
E ½	30 & 31	18	18	M.D.B.&M.
ALL	32-36	18	18	M.D.B.&M.
ALL	1-5	19	18	M.D.B.&M.
E ½	6 & 7	19	18	M.D.B.&M.
ALL	8-17	19	18	M.D.B.&M.
E ½	18 & 19	19	18	M.D.B.&M.
ALL	20-29	19	18	M.D.B.&M.
E ½	30 & 31	19	18	M.D.B.&M.
ALL	32-36	19	18	M.D.B.&M.
ALL	1-5	20	18	M.D.B.&M.
E ½	6 & 7	20	18	M.D.B.&M.
ALL	8-17	20	18	M.D.B.&M.
E ½	18 & 19	20	18	M.D.B.&M.
ALL	20-29	20	18	M.D.B.&M.
E ½	30 & 31	20	18	M.D.B.&M.
ALL	32-36	20	18	M.D.B.&M.
ALL	1-5	21	18	M.D.B.&M.
E ½	6 & 7	21	18	M.D.B.&M.
ALL	8-17	21	18	M.D.B.&M.
E ½	18 & 19	21	18	M.D.B.&M.
ALL	20-29	21	18	M.D.B.&M.
E ½	30 & 31	21	18	M.D.B.&M.
ALL	32-36	21	18	M.D.B.&M.
ALL	1-36	17	19	M.D.B.&M.
ALL	1-36	18	19	M.D.B.&M.
ALL	1-36	19	18	M.D.B.&M.
ALL	1-36	20	18	M.D.B.&M.
ALL	1-36	21	19	M.D.B.&M.
ALL	5 & 6	16	20	M.D.B.&M.
ALL	1-36	17	20	M.D.B.&M.
ALL	2-36	18	20	M.D.B.&M.
W ½	36	18	20	M.D.B.&M.
ALL	1-12	19	20	M.D.B.&M.
N ½	13	19	20	M.D.B.&M.
ALL	14-23	19	20	M.D.B.&M.
ALL	26-35	19	20	M.D.B.&M.
ALL	06, 07 & 18	19	21	M.D.B.&M.
ALL	1-36	20	20	M.D.B.&M.
ALL	1-36	21	20	M.D.B.&M.
ALL	1-36	20	21	M.D.B.&M.
ALL	1-36	21	21	M.D.B.&M.

See supporting map on file under Application No. 77478.

RECORDED
2011 OCT 12 PM 2:12
STATE ENGINEERING OFFICE