



THE STATE OF NEVADA

PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of Permittee: ROY CHRISTIANSEN
Source: UNDERGROUND
Basin: STEPTOE VALLEY
Manner of Use: COMMERCIAL
Period of Use: JANUARY 1ST THROUGH DECEMBER 31ST
Priority Date: 07/19/1977

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 62789 is issued subject to the terms and conditions imposed in said Permit 62789 and with the understanding that no other rights on the source will be affected by the change proposed herein. This well shall be equipped with a two (2) inch opening for measuring depth to water and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is approved for the entire 15 acre-feet annually as requested. However, pursuant to NRS 533.3703, initially only the net consumptive use amount of the base right, 14.5 acre-feet, can be diverted annually. Additional diversion up to the total 15 acre-feet may be granted if it can be shown that the additional diversion will not cause the consumptive use of 14.5 acre-feet to be exceeded.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 0.06 cubic feet per second or 15.0 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

March 30 2014

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


March 30 2017

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 30th day of March, A.D. 2012


for State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office NOV 21 2011

Returned to applicant for correction _____

Corrected application filed _____ Map filed NOV 21 2011

The applicant Roy Christiansen
621 Parker Ave. of Ely
Street Address or PO Box City or Town
Nevada, 89301 hereby make(s) application for permission to change the
State and ZIP Code

Point of diversion Place of use Manner of use of a portion
of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)
Permit 62789.

RECEIVED
 2011 NOV 21 AM 10:29
 STATE ENGINEER'S OFFICE

1. The source of water is Underground
Name of stream, lake, underground, spring or other sources.
2. The amount of water to be changed 0.059 cfs, 15 afa
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
3. The water to be used for Commercial
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
4. The water heretofore used for Irrigation and Domestic
If for stock, state number and kind of animals.
5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)
SW1/4 SW1/4 of Sec. 14, T.17N., R.63E., M.D.B.&M. Whence the Southwest Corner of said Sec. 14 bears S.83°25'46" W., 1,298.72 feet distant.
6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)
NW1/4 NE1/4 of Sec. 11, T.16N., R.63E., M.D.B.&M. Whence the Northeast Corner of said Sec. 11 bears N.50°54'13"E., 2,068.85 feet distant.

179-2017

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

Portions of the SW1/4 SW1/4 of Sec.14, T.17N., R.63E., M.D.B.&M.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

Portions of the SE1/4 SE1/4 of Sec. 2 and portions of the NE1/4 NE1/4 of Sec. 11, all in T.16N., R.63E., M.D.B.&M.

9. Proposed use will be from January 1st to December 31st of each year.
Month and Day Month and Day

10. Existing use permitted from January 1st to December 31st of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

Water will be diverted by an existing well. The existing well was constructed as Well Log No. 10146.

12. Estimated cost of works \$35,000.00

13. Estimated time required to construct works Three (3) years

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use Five (5) years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

Water will be diverted by an existing well and used for dust suppression and gravel production.


16. Miscellaneous remarks:

almberg@basineng.com
E-mail Address
775 289-9800
Phone No. Ext.

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

Emil W. AlMBERG, Jr. P.E./P.L.S.

Type or print name clearly


Signature, applicant or agent

Basin Engineering Corporation

Company Name

1070 E. Aultman Street

Street Address or PO Box

Ely, NV 89301

City, State, ZIP Code

STATE RECORDS DIVISION
2011 NOV 21 AM 11:29
RECEIVED