



**THE STATE OF NEVADA  
APPLICATION TO CHANGE THE PUBLIC WATERS OF  
THE STATE OF NEVADA HERETOFORE  
APPROPRIATED**

**Name of Applicant:** READY MIX INC  
**Source:** UNDERGROUND  
**Basin:** THREE LAKES VALLEY (SOUTHERN PART)  
**Manner of Use:** MUNICIPAL  
**Period of Use:** JANUARY 1ST THROUGH DECEMBER 31ST  
**Priority Date:** 08/18/1997


\*\*\*\*\*

**DENIAL OF STATE ENGINEER**

The protests to this application are upheld in part and the application is hereby denied on the grounds the Applicant has not met many statutory criteria and to issue a permit under these circumstances would threaten to prove detrimental to the public interest. No ruling is made on the merits of the remaining protest issues.

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the  
seal of my office, this 12th day of June, 2014

  
\_\_\_\_\_  
State Engineer

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED**

THIS SPACE FOR OFFICE USE ONLY  
Date of filing in State Engineer's Office APR 03 2012  
Returned to applicant for correction \_\_\_\_\_  
Corrected application filed \_\_\_\_\_ Map filed AUG 13 2001 under 67646

The applicant Ready Mix Inc.  
5745 North Scottsdale Road of Scottsdale  
Street Address or PO Box City or Town  
AZ., 85250 hereby make(s) application for permission to change the  
State and ZIP Code

Point of diversion  Place of use  Manner of use  of a portion  
of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)  
~~Permit 63345 and permit 67646~~

RECORDED  
2012 APR -3 PM 3:31  
STATE ENGINEER'S OFFICE

REL

- The source of water is UNDERGROUND  
Name of stream, lake, underground, spring or other sources.
- The amount of water to be changed 2.0 CFS. Not to Exceed 300 ac-ft per annum  
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
- The water to be used for municipal  
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
- The water heretofore used for Commercial Purposes  
If for stock, state number and kind of animals.
- The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)  
within SE1/4 SE1/4 of Section 5, T17S, R58E, MDB&M at a point that bears North 27° 47'20" West 6,278.47 feet from the North Quarter (N1/4) Corner of Section 16, T17S, R58E, MDB&M.
- The existing point of diversion is located within (If point of diversion is not changed, do not answer.)  
~~The SW1/4 NE1/4 of Section 6, T17S, R58E, MDB&M, at a point that bears 50° 43' 39" West 12,082.30 feet from the North Quarter (N1/4) Corner of Section 16, T17S, R58E, MDB&M.~~  
same as above

REL

211-62

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)  
within Sections 5, 6, 8 & 9, Township 17 South, Range 58 East, MDB&M.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)  
within Sections 5, 6, 8 & 9, Township 17 South, Range 58 East, MDB&M.

9. Proposed use will be from Jan. 1 to Dec. 31 of each year.  
Month and Day Month and Day

10. Existing use permitted from Jan 1 to Dec. 31 of each year.  
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)  
Well, casing, pump, pressure tank and distribution pipeline.

12. Estimated cost of works \$ 250,000.00

13. Estimated time required to construct works 3 Years

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 5 Years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)  
300 afa. tie to existing municipal system to be completed.

16. Miscellaneous remarks:

royhibdon@hotmail.com  
E-mail Address  
(775) 747-7343  
Phone No. Ext.

APPLICATION MUST BE SIGNED  
BY THE APPLICANT OR AGENT

Roy H. Hibdon, P.E.  
Type or print name clearly  
Roy H. Hibdon  
Signature, applicant or agent  
Roy H. Hibdon, Civil Engineering Consultants  
Company Name  
4860 Hilton Court  
Street Address or PO Box  
Reno Nevada 89519  
City, State, ZIP Code

RECEIVED  
2012 APR -9 PM 3:31

Protested: May 17, 2012, by Col. Steven D. Garland on behalf of Nellis Air Force Base, May 30, 2012, by Toiyabe Chapter of the Sierra Club