



TEMPORARY

THE STATE OF NEVADA

PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of Permittee: BRUCE A. AND PAMELA G. JENSEN
Source: HARDY SPRINGS
Basin: WHITE RIVER VALLEY
Manner of Use: CONSTRUCTION
Period of Use: ONE YEAR FROM DATE OF ISSUANCE
Priority Date: 03/25/1974

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This temporary permit to change the place and manner of use of a portion of the waters of Hardy Springs as heretofore granted under Permit 28206, Certificate 9416 is issued subject to the terms and conditions imposed in said Permit 28206, Certificate 9416 and with the understanding that no other rights on the source will be affected by the change proposed herein. A measuring device must be installed and measurements of water use kept.

This temporary permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

This temporary permit is subject to the condition that the permittee must ensure that wildlife which has customarily used such water will have access thereto, NRS 533.367.

The issuance of this temporary permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This temporary permit is issued pursuant to the provisions of NRS 533.345 Section 2 and will expire 1 year after the approval of the permit at which time all rights herein granted shall revert to the right being changed by this temporary permit.

The approval of this temporary permit reduces the annual duty of water in the base right, Permit 28206, Certificate 9416; by 9.2 acre-feet for a period of one year from the date of approval.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 0.023 cubic feet per second or 9.2 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

N/A

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


N/A

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 20th day of August, 2012



State Engineer

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS
OF THE STATE OF NEVADA HERETOFORE APPROPRIATED**

THIS SPACE FOR OFFICE USE ONLY	
Date of filing in State Engineer's Office	<u>MAY 14 2012</u>
Returned to applicant for correction	<u>MAY 17 2012</u>
Corrected application filed	<u>JUN 11 2012</u>
Map filed	<u>APR 14 1980 under 28206</u>

The applicant Bruce A. and Pamela G. Jensen
P.O. Box 253 of Lund
Street Address or PO Box City or Town
Nevada, 89317 hereby make(s) application for permission to change the
State and ZIP Code

Point of diversion Place of use Manner of use of a portion
of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)
Permit No. 28206, Certificate No. 9416.

1. The source of water is Hardy Springs
Name of stream, lake, underground, spring or other sources.
2. The amount of water to be changed 0.023 cfs (9.20 af)
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
3. The water to be used for Powerline Construction
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
4. The water heretofore used for Irrigation and Domestic
If for stock, state number and kind of animals.
5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)
NW 1/4 SW 1/4 Section 13, T. 9 N., R. 61 E., M.D.B.&M., or at a point from which the SW corner of said Section 13 bears S. 38° 39' W., a distance of 1876.0 feet.
6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)

RECEIVED
2012 JUN 11 PM 1:24
STATE ENGINEERS OFFICE

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)
See Item 7 - Attachment A. For a map of proposed POU, use map on file under Permit No. 80716T.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

NW1/4 SW1/4, SW1/4 SW1/4 of Section 13; SE1/4 SE1/4 of Section 14; SE1/4 NW 1/4, SW1/4 NE1/4, NE1/4 SW1/4, NW1/4 SE1/4, of Section 23, all in T. 9 N., R. 61 E., M.D.B. & M. 2.30 acres in the SE1/4 SE1/4 of Section 14, T. 9 N., R. 61 E. M.D.B.&M. will not be irrigated between August 4, 2012 and August 3, 2013. Reference the existing place of use map under Permit 80963T for the 2.30 acres that are not to be irrigated.

9. Proposed use will be from August 4, 2012 to August 3, 2013 of each year.
Month and Day Month and Day

10. Existing use permitted from January 1st to December 31st of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

Water will be pumped from the spring into a water stand tank and then hauled to the construction site by water trucks.

12. Estimated cost of works \$5,000

13. Estimated time required to construct works one (1) month

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use one (1) year

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

This application will provide construction water for the construction of 47 miles of a transmission powerline through Nye County, Nevada. The construction water will be used for compaction and dust control.

16. Miscellaneous remarks:

This project has been delayed and will not be completed within the anticipated one year time frame so the permittee is re-applying for another temporary change application.

almborg@basineng.com
E-mail Address
(775) 289-9800
Phone No. Ext.

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

Emil W. Almborg, Jr., P.E./P.L.S.

Type or print name clearly

[Signature]

Signature, applicant or agent

Basin Engineering Corporation

Company Name

1070 E. Aultman Street

Street Address or PO Box

Ely, NV 89301

City, State, ZIP Code

STATE ENGINEERS OFFICE
2012 JUN 11 PM 1:24
RECEIVED

Item 7 - Attachment A

T. 5 N., R. 60 E., M.D.B. & M.

Portions of Sections: 3, 4, 9, 10, 13, 14, 15, 23, and 24

T. 5 N., R. 61 E., M.D.B. & M.

Portions of Sections: 1, 10, 11, 12, 15, 16, 18, 19, 20, 21, 22, 23, 25, 26, 27 and 28

T. 5 N., R. 62 E., M.D.B. & M.

Portions of Sections: 5, 6, 19, 20, 21, 29, 30, 32, 33, and 34

T. 6 N., R. 60 E., M.D.B. & M.

Portions of Sections: 2, 4, 9, 10, 11, 13, 14, 15, 16, 21, 22, 28, 32, and 33

T. 6 N., R. 61 E., M.D.B. & M.

Portions of Sections: 3, 4, 5, 7, 8, 9, 17, and 18

T. 6 N., R. 62 E., M.D.B. & M.

Portions of Sections: 5 and 6

T. 7 N., R. 60 E., M.D.B. & M.

Portions of Sections: 1, 2, 3, 4, 9, 10, 11, 12, 14, 15, 16, 21, 22, 24, 25, 27, 28, 33, 35, and 36

T. 7 N., R. 61 E., M.D.B. & M.

Portions of Sections: 3, 4, 5, 6, 7, 18, 19, 20, 29, 30, 32, 34, 35, and 36

T. 7 N., R. 62 E., M.D.B. & M.

Portions of Sections: 31

T. 8 N., R. 60 E., M.D.B. & M.

Portions of Sections: 1, 2, 3, 4, 5, 9, 10, 11, 16, 21, 24, 25, 26, 27, 28, 33, and 34

T. 8 N., R. 61 E., M.D.B. & M.

Portions of Sections: 6, 7, 8, 9, 10, 11, 12, 17, 18, 19, 25, 26, 27, 30, 31, and 34

T. 8 N., R. 62 E., M.D.B. & M.

Portions of Sections: 7, 8, 29, and 30

T. 9 N., R. 60 E., M.D.B. & M.

Portions of Sections: 1, 2, 3, 10, 11, 12, 13, 14, 15, 16, 21, 22, 23, 24, 25, 26, 27, 28, 32, 33, 34, 35, and 36

T. 9 N., R. 61 E., M.D.B. & M.

Portions of Sections: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, and 24

T. 9 N., R. 62 E., M.D.B. & M.

Portions of Sections: 6, 7, 18, and 19

T. 10 N., R. 60 E., M.D.B. & M.

Portions of Sections: 1, 2, 11, 12, 13, 14, 23, 24, 25, 26, 27, 34, 35, and 36

T. 10 N., R. 61 E., M.D.B. & M.

Portions of Sections: 6

T. 11 N., R. 60 E., M.D.B. & M.

Portions of Sections: 35 and 36

T. 11 N., R. 61 E., M.D.B. & M.

Portions of Sections: 31

RECEIVED
2012 JUN 11 PM 1:24
STATE ENGINEERS OFFICE