



THE STATE OF NEVADA

PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of Permittee: U.S. DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Source: UNDERGROUND

Basin: PIUTE VALLEY

Manner of Use: QUASI-MUNICIPAL

Period of Use: JANUARY 1ST THROUGH DECEMBER 31ST

Priority Date: 11/02/1964

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the manner of use of the waters of an underground source as heretofore granted under Permit 22312, Certificate 7546 is issued subject to the terms and conditions imposed in said Permit 22312, Certificate 7546 and with the understanding that no other rights on the source will be affected by the change proposed herein. This well shall be equipped with a two (2) inch opening for measuring depth to water and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

If any water under this permit is cancelled or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

(Continued on Page 2)

The point of diversion and place of use are as described on the submitted application to support this permit.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 0.0223 cubic feet per second or 13.75 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

February 6 2016

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


February 6 2018

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 6th day of **February, 2013**



State Engineer P.E.

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY	
Date of filing in State Engineer's Office	<u>JUL 20 2012</u>
Returned to applicant for correction	<u>JUL 27 2012</u>
Corrected application filed	<u>OCT 05 2012</u>
Map filed	<u>JAN 18 1965 UNDER 22312</u>

US Department of Interior
 The applicant Bureau of Land Management (BLM)
Southern Nevada Dist. Office, 4701 N. Torrey Pines Dr. of Las Vegas
Street Address or PO Box City or Town
NV 89130 State and ZIP Code hereby make(s) application for permission to change the

- Point of diversion Place of use Manner of use of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Application Number 22312, Certificate Number 7546. (See copy attached to initial application 82019.)

RECEIVED
 2012 OCT -4 AM 11:00
 STATE ENGINEERS OFFICE

- The source of water is Underground - Well
Name of stream, lake, underground, spring or other sources.
- The amount of water to be changed The amount of water will not be changed. 0.02228 CFS
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
- The water to be used for Quasi Municipal
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
- The water heretofore used for Stock watering and domestic
If for stock, state number and kind of animals.
- The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)
SW1/4 of SW1/4, Section 22, Range ⁷²⁸⁵ 02 East, Township ^{R. 02 E} 28 South, M.D.B.&M, or at a point from which the SW corner of said Section 22 bears S 55 05' 10" W a distance of 1,238.5 feet. Same location as original Right (New well is within 300 feet and approximately same depth / aquifer of ~1000 feet).
- The existing point of diversion is located within (If point of diversion is not changed, do not answer.)

REL

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

SW 1/4 of SW 1/4, Section 22, Range 62 East, Township 28 South. ~40 AC Parcel.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

SW 1/4 of SW 1/4, Section 22, Range 62 East, Township 28 South.

9. Proposed use will be from January 1 to December 31 of each year.
Month and Day Month and Day

10. Existing use permitted from January 1 to December 31 of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

New well to replace original at about 10gpm. New storage tanks (about 50,000 GAL, Buried) to replace original (about 44,000 GAL above ground). Piping transmits water between well, treatment, disinfection, storage, and distribution system.

12. Estimated cost of works \$750,000

13. Estimated time required to construct works 3 years

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use Within 5 years of completion.

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

Please see Attachments from initial application 82019, Engineering Design Report, Plan Sheets and Specifications.

16. Miscellaneous remarks:

Please feel free to call with questions.

bobm@rpa-hln.com
E-mail Address
406-447-5000
Phone No. Ext.

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

Robert B. Morton, PE

RB Morton Type or print name clearly

Signature, applicant or agent
RPA (Consultant for BLM)

Company Name
825 Custer Ave.

Street Address or PO Box
Helena MT 59601

City, State, ZIP Code

RECEIVED
2012 OCT -1 AM 11:00
STATE ENGINEERS OFFICE