



THE STATE OF NEVADA

PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of Permittee: BOARD OF REGENTS
UNIVERSITY OF NEVADA SYSTEM

Source: UNDERGROUND

Basin: TRUCKEE MEADOWS

Manner of Use: COMMERCIAL

Period of Use: JANUARY 1ST THROUGH DECEMBER 31ST

Priority Date: 09/09/1974

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of a portion of the waters of an underground source as heretofore granted under Permit 78423 is issued subject to the terms and conditions imposed in said Permit 78423 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.

(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, **and not to exceed 0.0028 cubic feet per second or 2.0 acre-feet annually.**

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

December 28 2013

Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:


December 28 2015

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 28th day of December, 2012



State Engineer

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY
Date of filing in State Engineer's Office AUG 10 2012
Returned to applicant for correction _____
Corrected application filed _____ Map filed JUL 22 1994 UNDER 60240

The applicant Board of Regents, University of Nevada System, c/o Director, NV Agr. Experiment Station
Fleischmann Agriculture, Mail Stop 221 of Reno,
Street Address or PO Box City or Town
Nevada 89557-0107 hereby make(s) application for permission to change the
State and ZIP Code

- Point of diversion Place of use Manner of use of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)
Permit 78423

1. The source of water is underground
Name of stream, lake, underground, spring or other sources.
2. The amount of water to be changed 0.0028 cfs, not to exceed 2.0 acre-feet per year
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
3. The water to be used for Commercial
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
4. The water heretofore used for Commercial
If for stock, state number and kind of animals.
5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)
SW1/4 NE1/4 Section 16, T19N, R20E, MDM, or at a point from which the Northeast corner of said Section 16 bears N 41 degrees 04' 47" E a distance of 2450.77 feet.
6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)
SW1/4 NE1/4 Section 16, T19N, R20E, MDM or at a point from which the Northeast corner of said Section 16 bears N 44 degrees 50' 41" E a distance of 2923.16 feet.

87-112

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

Portions of SW1/4 NE1/4, NE1/4 SW1/4, SE1/4 NW1/4, NW1/4 SE1/4 Section 16, T19N R20E, MDM

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

Portions of SW1/4 NE1/4, NE1/4 SW1/4, SE1/4 NW1/4, NW1/4 SE1/4 Section 16, T19N R20E, MDM

9. Proposed use will be from January 1 to December 31 of each year.
Month and Day Month and Day

10. Existing use permitted from January 1 to December 31 of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

Existing Well No. 3 at the Main Station Farm and existing water distribution system

12. Estimated cost of works \$110,000

13. Estimated time required to construct works N/A - See Proof of Completion of Work on file for 60243

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 3 years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

This change application is being filed to support additional pumping from Well No. 3 (Surgery) at the UNR Main Station Farm. Water demands have increased in the past few years as a result of more fresh water uses in the vicinity of Well No. 3, associated with research activities and additional livestock.

16. Miscellaneous remarks:

RECEIVED
AUG 10 PM 4:28
ENGINEERS OFFICE

interflowhydro@aol.com
E-mail Address
(530) 582-1622
Phone No. Ext.

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

Dwight L. Smith, PE, WRS, Agent
Type or print name clearly
Dwight L. Smith
Signature, applicant or agent
Interflow Hydrology, Inc.
Company Name
P.O. Box 1482
Street Address or PO Box
Truckee, CA 96160
City, State, ZIP Code