



THE STATE OF NEVADA

PERMIT TO CHANGE THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Name of Permittee: HIGH TEST HAY, LLC
Source: UNDERGROUND
Basin: STONE CABIN VALLEY
Manner of Use: IRRIGATION
Period of Use: JANUARY 1ST THROUGH DECEMBER 31ST
Priority Date: 01/29/1979

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 78000 is issued subject to the terms and conditions imposed in said Permit 78000 and with the understanding that no other rights on the source will be affected by the change proposed herein. This well shall be equipped with a two (2) inch opening for measuring depth to water and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 77989, 77994, 77997, 77998, 77999, 78001, 78002, 81634, 82515 and 82516 shall not exceed 3,520 acre-feet annually for the irrigation of a maximum of 880 acres within the described place of use.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The point of diversion and place of use are as described on the submitted application to support this permit.


(Continued on Page 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.52 cubic feet per second or 92.4 acre-feet annually, but not to exceed 4.0 acre-feet per acre from all sources.


Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before: December 10 2014
Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before: December 10 2016
Map in support of proof of beneficial use shall be filed on or before: December 10 2016

IN TESTIMONY WHEREOF, I, JASON KING, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 10th day of December, 2013



State Engineer



APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY	
Date of filing in State Engineer's Office	<u>FEB 06 2013</u>
Returned to applicant for correction	_____
Corrected application filed	Map filed <u>FEB 6 2013 UNDER 82515</u>

The applicant High Test Hay, LLC
4715 Jacqueline Court of Winnemucca
Street Address or PO Box City or Town
Nevada, 89445 hereby make(s) application for permission to change the
State and ZIP Code

- Point of diversion Place of use Manner of use of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Permit 78000

- The source of water is Underground
Name of stream, lake, underground, spring or other sources.
- The amount of water to be changed 0.52 cubic feet per second or 92.4 acre-feet annually
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
- The water to be used for Irrigation
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
- The water heretofore used for Irrigation
If for stock, state number and kind of animals.
- The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)
WITHIN THE SE 1/4 NW 1/4 OF SECTION 16, T. 3 N., R. 48 E., M.D.B.&M. OR AT A POINT FROM WHICH THE W 1/4 CORNER OF SECTION 16, T. 3 N., R. 48 E., M.D.B.&M. BEARS S. 70° 25' 51.6" W., A DISTANCE OF 1,606.6 FEET. (See accompanying map)
- The existing point of diversion is located within (If point of diversion is not changed, do not answer.)
WITHIN THE NE 1/4 SW 1/4 OF SECTION 29, T. 3 N., R. 48 E., M.D.B.&M. OR AT A POINT FROM WHICH THE W 1/4 CORNER OF SECTION 29, T. 3 N., R. 48 E., M.D.B.&M. BEARS N. 88° 50' 0.0" W., A DISTANCE OF 2,620.0 FEET. (See map filed under 77989)

*Stone Cabin Valley
10-149
NVE*

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

WITHIN THE NE 1/4 NE 1/4 SECTION 20, & NW 1/4 NW 1/4, NE 1/4 NW 1/4, SW 1/4 NW 1/4 SECTION 21, ALL WITHIN T. 3 N., R. 48 E., M.D.B.&M.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

See Attachment 1 and see map filed under 78000 (Also Attached)

9. Proposed use will be from January 1st to December 31st of each year.
Month and Day Month and Day

10. Existing use permitted from January 1st to December 31st of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

Well is proposed to be drilled in 2013, then pivot irrigation system to be constructed in the future.

12. Estimated cost of works \$250,000

13. Estimated time required to construct works 1 year

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 5 years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary). (Failure to provide a detailed description may cause a delay in processing.)

see e-mail dated 2/7/2013

STATE ENGINEERS OFFICE
13 FEB -6 AM 11:22
RECEIVED
967
2/7/2013

16. Miscellaneous remarks:

david@stanakconsulting.com
E-mail Address
775-885-9283
Phone No. Ext.

David G. Hillis Jr. P.E. [Agent]

[Signature]
Type or print name clearly
Signature, applicant or agent

Stanka Consulting LTD
Company Name
3032 Silver Sage Drive, Suite 101
Street Address or PO Box
Carson City, NV 89701
City, State, ZIP Code

APPLICATION MUST BE SIGNED BY THE APPLICANT OR AGENT

ATTACHMENT 1:

Proposed Place of Use				
SECTION	SUBDIVISION	TOWNSHIP	RANGE	ACRES
29	NE 1/4 NW 1/4	3 NORTH	48 EAST	40
29	NW 1/4 NE 1/4	3 NORTH	48 EAST	40
29	SE 1/4 NW 1/4	3 NORTH	48 EAST	40
29	SW 1/4 NE 1/4	3 NORTH	48 EAST	40
29	NE 1/4 SW 1/4	3 NORTH	48 EAST	40
29	NW 1/4 SE 1/4	3 NORTH	48 EAST	40
29	SE 1/4 SW 1/4	3 NORTH	48 EAST	40
29	SW 1/4 SE 1/4	3 NORTH	48 EAST	40
TOTAL				320

RECEIVED
2013 FEB -6 AM 11:22
STATE ENGINEERS OFFICE